

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
<b>Engine</b>							
Engine Type	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm <sup>3</sup> )	2198	2198	2198	2198	2198	3198	1996
Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	16:1
Maximum Power	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	147kW @ 3000rpm	157kW @ 3750rpm
Maximum Torque	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm
No. of Valves	16	16	16	16	16	20	16
Bore x Stroke (mm)	86 x 94.6	86 x 94.6	86 x 94.6	86 x 94.6	86 x 94.6	89.9 x 100.76	84 x 90
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
<b>Transmissions/Ratios</b>							
6-speed manual transmission	S						
6-speed automatic transmission		S	S	S	S	S	
10-speed automatic transmission							S
<b>Fuel</b>							
Combined Fuel Economy (L/100km)(Manual) <sup>1</sup>	6.5						
CO <sub>2</sub> Emissions (g/km)(Manual) <sup>1</sup>	169						
Combined Fuel Economy (L/100km)(Auto) <sup>1</sup>		7.8	7.8	7.8	7.8	8.2	6.7
CO <sub>2</sub> Emissions (g/km)(Auto) <sup>1</sup>		203	203	203	203	216	177
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
<b>Pick-up Box Dimensions (mm)</b>							
Height - at centreline of axle					511	511	511
Height - floor height to ground					835	835	835
Length - at floor					1549	1549	1549
Length - top of box					1485	1485	1485
Width - between wheelhouses					1139	1139	1139
Width - pick-up box					1560	1560	1560
Width - rear opening					1330	1330	1330
<b>Exterior Dimensions (mm)</b>							
Length - with rear bumper (where fitted)	5133	5133	5133	5133	5382	5446	5446
Width - exterior mirrors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867
Height	1703	1800	1804	1815	1815	1821	1821
Overhang - Front	928	928	928	928	928	928	928
Overhang - Rear	985	985	985	985	1234	1226	1226
Track - Front and Rear	1590	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	201	232	232	232	232	237	237
Wading Depth (mm)	600	800	800	800	800	800	800
Approach Angle (unladen, degrees)	22	28	28	28	28	29	29
Departure Angle (unladen, degrees)	24	28	24	28	27	21	21
measured to:							
a) rear bumper on XL Pick-up models,							
b) spare tyre on XL Cab Chassis models,							
c) tow bar on XLT and Wildtrak models							
Ramp Breakover Angle (degrees)	17	24	24	24	24	25	25
Turning Circle - Kerb to Kerb (m)	11.9	12.7	12.7	12.7	12.7	12.7	12.7
<b>Interior Dimensions (mm)</b>							
2nd Row Headroom			938	986	986	986	986
2nd Row Legroom			796	902	902	902	902
2nd Row Shoulder Room			1400	1430	1430	1430	1430
Front Headroom	1024	1024	1024	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
<b>Vehicle Masses (kg)</b>							
Kerb Weight - Total <sup>2</sup>	1666	1724	1783	1845	1970	2131	2099
Kerb Weight - Front Axle <sup>2</sup>	1046	1084	1108	1119	1158	1164	1137
Kerb Weight - Rear Axle <sup>2</sup>	620	640	675	726	812	967	962
Payload <sup>4</sup>	1259	1476	1417	1355	1230	1069	1101
Gross Vehicle Mass	2925	3200	3200	3200	3200	3200	3200
Gross Combined Mass	5425	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity <sup>3</sup>	2500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1325	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1755	1850	1850	1850	1850	1850	1850

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
<b>Exterior</b>							
Centre High Mounted Stop Light					S	S	S
Exterior Lighting - LED Daytime Running Lamps						S	S
Exterior Door / Tailgate Handles - Black	S	S	S	S	S		
Exterior Door / Tailgate Handles - Chrome						S	S
Exterior Door / Tailgate Handles - Bolder Grey							
Exterior Mirrors - Black	S	S	S	S	S		
Exterior Mirrors - Trivet Grey							
Exterior Mirrors - Chrome						S	S
Exterior Mirrors - Bolder Grey							
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator						S	S
Exterior Mirrors - Puddle Lamps							
Front Bumper - Body Colour	S	S	S	S	S	S	S
Front Bumper Insert - Body Colour with Silver Lower Insert							
Exterior Lighting - Front Fog Lamps (Halogen)						S	S
Exterior Lighting - Front Fog Lamps (LED)							
Grille - Black	S	S	S	S	S		
Grille - Trivet Grey							
Grille - Chrome						S	S
Grille - Bolder Grey							
Exterior Lighting - High Intensity Discharge (HID) headlamps						S	S
Mud Flaps - Front and Rear <sup>5</sup>	S	S	S	S	S	S	S
Privacy Glass						S	S
Rear Bumper - Body Colour					S		
Rear Bumper - Chrome Steel						S	S
Rear Bumper - Bolder Grey							
Side Steps - Black							
Side Steps - Black with Silver Inserts							
Rear Sports Bar - Chrome Tubular						S	S
Rear Sports Bar - Sailplane							
Tow Bar						S	S
Wheels - 16" Steel	S	S	S	S	S		
Wheels - 16" Alloy							
Wheels - 17" Alloy						S	S
Wheels - 18" Alloy						O	O
<b>Load Box Elements Load Box Elements</b>							
Bedliner with 12V Socket						S	S
Inner Tie Downs					S	S	S
Load Box Illumination					S	S	S
Load Rest					S		
Roller Shutter							
Tailgate Lock - Manual					S	S	S
Tailgate Lock - Power (activated with Central Locking)							
Tailgate with Lift Assistance					S	S	S
<b>Seating</b>							
6-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S	S	S
8-way Power Driver Seat Adjustment (plus Lumbar Support)							
Heated Front Seats							
XLT Leather Accented Seats (Black)						O	O
Wildtrak Leather Accented Seats (Black with orange stitching)							
<b>Comfort and Convenience</b>							
230V Inverter - Rear of Centre Console			S	S	S	S	S
Acoustic Windshield	S	S	S	S	S	S	S
Ambient Lighting - Multi-Colour							
Auxiliary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
Auxiliary 12V Power Outlet - Rear of Centre Console						S	S
Centre Console - Single Lid with 2 Cup Holders & Coin Storage	S	S	S	S	S	S	S
Centre Console - Cooled						S	S
Child Seat Upper Anchorage Points (x 2)			S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)				S	S	S	S
Climate Control - Single Zone Manual	S	S	S	S	S		
Climate Control - Dual Zone Automatic						S	S
Dual Colour 4.2" Instrumentation Screens						S	S
Floor Coverings - Vinyl	S	S	S	S	S		
Floor Coverings - Carpet						S	S
Floor Mats - Driver Only						S	S
Floor Mats (Wildtrak) - All Positions							
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob						S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

5. Rear mud flaps on pick-up models only.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
<b>Comfort and Convenience – Cont.</b>							
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S
Power Rear Windows				S	S	S	S
Rain Sensing Windscreen Wipers						S	S
Rear Window Defrost	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S		
Rear View Mirror - Electrochromatic						S	S
<b>Audio And Communication</b>							
4.2" Colour Multi-Function Display	S	S	S	S	S		
8" Colour Touch Screen						S	S
4 Speakers (2 Tweeters, 2 Woofers)	S	S					
6 Speakers (2 Tweeters, 4 Woofers)			S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay & Android Auto <sup>6</sup>						S	S
Bluetooth® with Phone/Audio Streaming <sup>7</sup>	S	S	S	S	S	S	S
CD Player (MP3 compatible)	S	S	S	S	S	S	S
DAB+ Digital Radio						S	S
Satellite Navigation with Traffic Message Channel <sup>8</sup>						S	S
SYNC® with Voice-Activated Controls <sup>9</sup>	S	S	S	S	S		
SYNC®3 with Voice-Activated Controls <sup>9</sup>						S	S
USB Ports x 2	S	S	S	S	S	S	S
<b>Safety, Security and Driver Assistance</b>							
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
Adaptive Cruise Control <sup>10</sup>						P	P
Adjustable Speed Limiter	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors						S	S
Anti-Lock Braking System (ABS) <sup>10</sup>	S	S	S	S	S	S	S
Auto High Beam <sup>10</sup>	S	S	S	S	S	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S
Driver Impairment Monitor <sup>10</sup>	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) <sup>10</sup>	S	S	S	S	S	S	S
Emergency Assistance <sup>11</sup>	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S
Hill Descent Control <sup>10</sup>							
Hill Launch Assist <sup>10</sup>	S	S	S	S	S	S	S
Lane Keeping Aid <sup>10</sup>	S	S	S	S	S	S	S
Load Adaptive Control <sup>10</sup>	S	S	S	S	S	S	S
MyKey®						S	S
Parking Sensors - Front						S	S
Parking Sensors - Rear					S	S	S
Pre-Collision Assist - AEB with Pedestrian Detection <sup>10</sup>	S	S	S	S	S	S	S
Rear Differential - eLocking		S	S	S	S	S	S
Rear View Camera	A	A	A	A	A	S	S
Remote Keyless Entry - 1 Fob Provided	S	S	S	S	S		
Roll Over Mitigation <sup>10</sup>	S	S	S	S	S	S	S
Semi-Auto Active Park Assist <sup>10</sup>						P	P
Smart Keyless Entry with Push Button Start - 2 Fobs Provided						S	S
Traction Control System <sup>10</sup>	S	S	S	S	S	S	S
Traffic Sign Recognition <sup>10</sup>	S	S	S	S	S	S	S
Trailer Sway Control <sup>10</sup>	S	S	S	S	S	S	S
Tyre Pressure Monitoring System						S	S
<b>Regular Production Options</b>							
Automatic Transmission		S	S	S	S	S	S
Black 18" Alloy Wheels						O	O
SYNC®3 Pack, including: SYNC®3 <sup>3</sup> , 8" Touch Screen, Satellite Navigation <sup>8</sup> , Dual 4.2" Instrument Screens, DAB+ Digital Radio, Dual Zone Climate Control, Smart Keyless Entry with Push Button Start, Chrome Exterior Grille & Handles							
XLT Leather Accented Seats						O	O
XLT Tech Pack, including: Adaptive Cruise Control <sup>10</sup> , Semi Auto Active Park Assist <sup>10</sup>						O	O
Prestige Paint	O	O	O	O	O	O	O

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

6. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 7. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 8. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cease for any reason. 9. Not all SYNC® and SYNC®3 features are compatible with all phones. For compatibility, see ford.com.au/sync. 10. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 11. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
<b>Engine</b>							
Engine Type	Inline 5 Cylinder	Inline 5 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder
Engine Size (cm <sup>3</sup> )	3198	3198	3198	2198	3198	2198	3198
Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1
Maximum Power	147kW @ 3000rpm	147kW @ 3000rpm	147kW @ 3000rpm	118kW @ 3200rpm	147kW @ 3000rpm	118kW @ 3200rpm	147kW @ 3000rpm
Maximum Torque	470Nm @ 1750-2500rpm	470Nm @ 1750-2500rpm	470Nm @ 1750-2500rpm	385Nm @ 1600-2500rpm	470Nm @ 1750-2500rpm	385Nm @ 1600-2500rpm	470Nm @ 1750-2500rpm
No. of Valves	20	20	20	16	20	16	20
Bore x Stroke (mm)	89.9 x 100.76	89.9 x 100.76	89.9 x 100.76	86 x 94.6	89.9 x 100.76	86 x 94.6	89.9 x 100.76
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
<b>Transmissions/Ratios</b>							
6-speed manual transmission	S	S			S		S
6-speed automatic transmission	O	O	S	S	O	S	O
10-speed automatic transmission							
<b>Fuel</b>							
Combined Fuel Economy (L/100km)(Manual) <sup>1</sup>	8.3	8.3			8.3		8.3
CO <sub>2</sub> Emissions (g/km)(Manual) <sup>1</sup>	218	218			218		218
Combined Fuel Economy (L/100km)(Auto) <sup>1</sup>	8.7	8.7	8.7	8.0	8.7	8.0	8.7
CO <sub>2</sub> Emissions (g/km)(Auto) <sup>1</sup>	229	229	229	209	229	209	229
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
<b>Pick-up Box Dimensions (mm)</b>							
Height - at centreline of axle			511			511	511
Height - floor height to ground			835			835	835
Length - at floor			1847			1549	1549
Length - top of box			1783			1485	1485
Width - between wheelhouses			1139			1139	1139
Width - pick-up box			1560			1560	1560
Width - rear opening			1330			1330	1330
<b>Exterior Dimensions (mm)</b>							
Length - with rear bumper (where fitted)	5133	5133	5382	5133	5133	5382	5382
Width - exterior mirrors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867
Height	1800	1804	1804	1815	1815	1815	1815
Overhang - Front	928	928	928	928	928	928	928
Overhang - Rear	985	985	1234	985	985	1234	1234
Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	232	232	232	232	232	232
Wading Depth (mm)	800	800	800	800	800	800	800
Approach Angle (unladen, degrees)	28	28	28	28	28	28	28
Departure Angle (unladen, degrees)	28	28	27	28	28	27	27
measured to:							
a) rear bumper on XL Pick-up models,							
b) spare tyre on XL Cab Chassis models,							
c) tow bar on XLT and Wildtrak models							
Ramp Breakover Angle (degrees)	24	24	24	24	24	24	24
Turning Circle - Kerb to Kerb (m)	12.7	12.7	12.7	12.7	12.7	12.7	12.7
<b>Interior Dimensions (mm)</b>							
2nd Row Headroom		938	938	986	986	986	986
2nd Row Legroom		796	796	902	902	902	902
2nd Row Shoulder Room		1400	1400	1430	1430	1430	1430
Front Headroom	1024	1024	1024	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
<b>Vehicle Masses (kg)</b>							
Kerb Weight - Total <sup>2</sup>	1869(M) / 1887(A)	1933(M) / 1951(A)	2085	1938	1995(M) / 2012(A)	2064	2118(M) / 2135(A)
Kerb Weight - Front Axle <sup>2</sup>	1199(M) / 1217(A)	1223(M) / 1241(A)	1230	1195	1235(M) / 1253(A)	1235	1225(M) / 1243(A)
Kerb Weight - Rear Axle <sup>2</sup>	670	710	855	743	760	829	893
Payload <sup>4</sup>	1331(M) / 1313(A)	1267 (M) / 1249 (A)	1115	1262	1205(M) / 1188(A)	1136	1082(M) / 1065(A)
Gross Vehicle Mass	3200	3200	3200	3200	3200	3200	3200
Gross Combined Mass	6000	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity <sup>3</sup>	3500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1480	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1850	1850	1850	1850	1850	1850	1850

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
<b>Exterior</b>							
Centre High Mounted Stop Light			S			S	S
Exterior Lighting - LED Daytime Running Lamps							
Exterior Door / Tailgate Handles - Black	S	S	S	S	S	S	S
Exterior Door / Tailgate Handles - Chrome							
Exterior Door / Tailgate Handles - Bolder Grey							
Exterior Mirrors - Black	S	S	S	S	S	S	S
Exterior Mirrors - Trivet Grey							
Exterior Mirrors - Chrome							
Exterior Mirrors - Bolder Grey							
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator							
Exterior Mirrors - Puddle Lamps							
Front Bumper - Body Colour	S	S	S	S	S	S	S
Front Bumper Insert - Body Colour with Silver Lower Insert							
Exterior Lighting - Front Fog Lamps (Halogen)							
Exterior Lighting - Front Fog Lamps (LED)							
Grille - Black	S	S	S	S	S	S	S
Grille - Trivet Grey							
Grille - Chrome							
Grille - Bolder Grey							
Exterior Lighting - High Intensity Discharge (HID) headlamps							
Mud Flaps - Front and Rear <sup>5</sup>	S	S	S	S	S	S	S
Privacy Glass							
Rear Bumper - Body Colour			S			S	S
Rear Bumper - Chrome Steel							
Rear Bumper - Bolder Grey							
Side Steps - Black							
Side Steps - Black with Silver Inserts							
Rear Sports Bar - Chrome Tubular							
Rear Sports Bar - Sailplane							
Tow Bar							
Wheels - 16" Steel	S	S	S	S	S	S	S
Wheels - 16" Alloy							
Wheels - 17" Alloy							
Wheels - 18" Alloy							
<b>Load Box Elements Load Box Elements</b>							
Bedliner with 12V Socket							
Inner Tie Downs			S			S	S
Load Box Illumination			S			S	S
Load Rest			S			S	S
Roller Shutter							
Tailgate Lock - Manual			S			S	S
Tailgate Lock - Power (activated with Central Locking)							
Tailgate with Lift Assistance			S			S	S
<b>Seating</b>							
6-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S	S	S
8-way Power Driver Seat Adjustment (plus Lumbar Support)							
Heated Front Seats							
XLT Leather Accented Seats (Black)							
Wildtrak Leather Accented Seats (Black with orange stitching)							
<b>Comfort and Convenience</b>							
230V Inverter - Rear of Centre Console		S	S	S	S	S	S
Acoustic Windshield	S	S	S	S	S	S	S
Ambient Lighting - Multi-Colour							
Auxiliary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
Auxiliary 12V Power Outlet - Rear of Centre Console							
Centre Console - Single Lid with 2 Cup Holders & Coin Storage	S	S	S	S	S	S	S
Centre Console - Cooled							
Child Seat Upper Anchorage Points (x 2)		S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)				S	S	S	S
Climate Control - Single Zone Manual	S	S	S	S	S	S	S
Climate Control - Dual Zone Automatic							
Dual Colour 4.2" Instrumentation Screens							
Floor Coverings - Vinyl	S	S	S	S	S	S	S
Floor Coverings - Carpet							
Floor Mats - Driver Only							
Floor Mats (Wildtrak) - All Positions							
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob							

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

5. Rear mud flaps on pick-up models only.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
<b>Comfort and Convenience – Cont.</b>							
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S
Power Rear Windows				S	S	S	S
Rain Sensing Windscreen Wipers							
Rear Window Defrost	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S	S	S
Rear View Mirror - Electrochromatic							
<b>Audio And Communication</b>							
4.2" Colour Multi-Function Display	S	S	S	S	S	S	S
8" Colour Touch Screen							
4 Speakers (2 Tweeters, 2 Woofers)	S						
6 Speakers (2 Tweeters, 4 Woofers)		S	S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay & Android Auto <sup>6</sup>							
Bluetooth® with Phone/Audio Streaming <sup>7</sup>	S	S	S	S	S	S	S
CD Player (MP3 compatible)	S	S	S	S	S	S	S
DAB+ Digital Radio							
Satellite Navigation with Traffic Message Channel <sup>8</sup>							
SYNC® with Voice-Activated Controls <sup>9</sup>	S	S	S	S	S	S	S
SYNC®3 with Voice-Activated Controls <sup>9</sup>							
USB Ports x 2	S	S	S	S	S	S	S
<b>Safety, Security and Driver Assistance</b>							
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
Adaptive Cruise Control <sup>10</sup>							
Adjustable Speed Limiter	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors							
Anti-Lock Braking System (ABS) <sup>10</sup>	S	S	S	S	S	S	S
Auto High Beam <sup>10</sup>	S	S	S	S	S	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S
Driver Impairment Monitor <sup>10</sup>	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) <sup>10</sup>	S	S	S	S	S	S	S
Emergency Assistance <sup>11</sup>	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S
Hill Descent Control <sup>10</sup>	S	S	S	S	S	S	S
Hill Launch Assist <sup>10</sup>	S	S	S	S	S	S	S
Lane Keeping Aid <sup>10</sup>	S	S	S	S	S	S	S
Load Adaptive Control <sup>10</sup>	S	S	S	S	S	S	S
MyKey®							
Parking Sensors - Front							
Parking Sensors - Rear			S			S	S
Pre-Collision Assist - AEB with Pedestrian Detection <sup>10</sup>	S	S	S	S	S	S	S
Rear Differential - eLocking	S	S	S	S	S	S	S
Rear View Camera	A	A	S	A	A	S	S
Remote Keyless Entry - 1 Fob Provided	S	S	S	S	S	S	S
Roll Over Mitigation <sup>10</sup>	S	S	S	S	S	S	S
Semi-Auto Active Park Assist <sup>10</sup>							
Smart Keyless Entry with Push Button Start - 2 Fobs Provided							
Traction Control System <sup>10</sup>	S	S	S	S	S	S	S
Traffic Sign Recognition <sup>10</sup>	S	S	S	S	S	S	S
Trailer Sway Control <sup>10</sup>	S	S	S	S	S	S	S
Tyre Pressure Monitoring System							
<b>Regular Production Options</b>							
Automatic Transmission	O	O	S	S	O	S	O
Black 18" Alloy Wheels							
SYNC®3 Pack, including: SYNC®3 <sup>9</sup> , 8" Touch Screen, Satellite Navigation <sup>8</sup> , Dual 4.2" Instrument Screens, DAB+ Digital Radio, Dual Zone Climate Control, Smart Keyless Entry with Push Button Start, Chrome Exterior Grille & Handles							
XLT Leather Accented Seats							
XLT Tech Pack, including: Adaptive Cruise Control <sup>10</sup> , Semi Auto Active Park Assist <sup>10</sup>							
Prestige Paint	O	O	O	O	O	O	O

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

6. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 7. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 8. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cease for any reason. 9. Not all SYNC® and SYNC®3 features are compatible with all phones. For compatibility, see ford.com.au/sync. 10. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 11. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel
<b>Engine</b>							
Engine Type	Inline 5 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm <sup>3</sup> )	3198	3198	1996	3198	1996	3198	1996
Compression Ratio	15.7:1	15.7:1	16:1	15.7:1	16:1	15.7:1	16:1
Maximum Power	147kW @ 3000rpm	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	157kW @ 3750rpm
Maximum Torque	470Nm @ 1750-2500rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm
No. of Valves	20	20	16	20	16	20	16
Bore x Stroke (mm)	89.9 x 100.76	89.9 x 100.76	84 x 90	89.9 x 100.76	84 x 90	89.9 x 100.76	84 x 90
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
<b>Transmissions/Ratios</b>							
6-speed manual transmission	S			S		S	
6-speed automatic transmission	O	S		O		O	
10-speed automatic transmission			S		S		S
<b>Fuel</b>							
Combined Fuel Economy (L/100km)(Manual) <sup>1</sup>	8.3			8.4		8.4	
CO <sub>2</sub> Emissions (g/km)(Manual) <sup>1</sup>	218			221		221	
Combined Fuel Economy (L/100km)(Auto) <sup>1</sup>	8.9	8.7	7.4	8.9	7.4	8.9	7.4
CO <sub>2</sub> Emissions (g/km)(Auto) <sup>1</sup>	234	229	195	234	195	234	195
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
<b>Pick-up Box Dimensions (mm)</b>							
Height - at centreline of axle	511	511	511	511	511	511	511
Height - floor height to ground	835	840	840	840	840	840	840
Length - at floor	1549	1847	1847	1549	1549	1549	1549
Length - top of box	1485	1783	1783	1485	1485	1485	1485
Width - between wheelhouses	1139	1139	1139	1139	1139	1139	1139
Width - pick-up box	1560	1560	1560	1560	1560	1560	1560
Width - rear opening	1330	1330	1330	1330	1330	1330	1330
<b>Exterior Dimensions (mm)</b>							
Length - with rear bumper (where fitted)	5382	5446	5446	5446	5446	5446	5446
Width - exterior mirrors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867
Height	1815	1810	1810	1821	1821	1848	1848
Overhang - Front	928	928	928	928	928	928	928
Overhang - Rear	1234	1226	1226	1226	1226	1226	1226
Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	237	237	237	237	237	237
Wading Depth (mm)	800	800	800	800	800	800	800
Approach Angle (unladen, degrees)	28	29	29	29	29	29	29
Departure Angle (unladen, degrees)	27	21	21	21	21	21	21
measured to:							
a) rear bumper on XL Pick-up models,							
b) spare tyre on XL Cab Chassis models,							
c) tow bar on XLT and Wildtrak models							
Ramp Breakover Angle (degrees)	24	25	25	25	25	25	25
Turning Circle - Kerb to Kerb (m)	12.7	12.7	12.7	12.7	12.7	12.7	12.7
<b>Interior Dimensions (mm)</b>							
2nd Row Headroom	986	938	938	986	986	986	986
2nd Row Legroom	902	796	796	902	902	902	902
2nd Row Shoulder Room	1430	1400	1400	1430	1430	1430	1430
Front Headroom	1022	1024	1024	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
<b>Vehicle Masses (kg)</b>							
Kerb Weight - Total <sup>2</sup>	2191(M) / 2209(A)	2178	2146	2212(M) / 2230(A)	2197	2260(M) / 2278(A)	2246
Kerb Weight - Front Axle <sup>2</sup>	1226(M) / 1244(A)	1238	1212	1232(M) / 1250(A)	1218	1241(M) / 1259(A)	1226
Kerb Weight - Rear Axle <sup>2</sup>	965	940	934	980	979	1019	1020
Payload <sup>4</sup>	1009(M) / 991(A)	1022	1054	988(M) / 970(A)	1003	940(M) / 922(A)	954
Gross Vehicle Mass	3200	3200	3200	3200	3200	3200	3200
Gross Combined Mass	6000	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity <sup>3</sup>	3500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1480	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1850	1850	1850	1850	1850	1850	1850

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel
<b>Exterior</b>							
Centre High Mounted Stop Light	S	S	S	S	S	S	S
Exterior Lighting - LED Daytime Running Lamps		S	S	S	S	S	S
Exterior Door / Tailgate Handles - Black	S						
Exterior Door / Tailgate Handles - Chrome	P	S	S	S	S		
Exterior Door / Tailgate Handles - Bolder Grey						S	S
Exterior Mirrors - Black							
Exterior Mirrors - Trivet Grey	S						
Exterior Mirrors - Chrome		S	S	S	S		
Exterior Mirrors - Bolder Grey						S	S
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator		S	S	S	S	S	S
Exterior Mirrors - Puddle Lamps						S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S
Front Bumper Insert - Body Colour with Silver Lower Insert						S	S
Exterior Lighting - Front Fog Lamps (Halogen)	S	S	S	S	S		
Exterior Lighting - Front Fog Lamps (LED)						S	S
Grille - Black							
Grille - Trivet Grey	S						
Grille - Chrome	P	S	S	S	S		
Grille - Bolder Grey						S	S
Exterior Lighting - High Intensity Discharge (HID) headlamps		S	S	S	S	S	S
Mud Flaps - Front and Rear <sup>5</sup>	S	S	S	S	S	S	S
Privacy Glass		S	S	S	S	S	S
Rear Bumper - Body Colour	S						
Rear Bumper - Chrome Steel		S	S	S	S		
Rear Bumper - Bolder Grey						S	S
Side Steps - Black			S	S	S		
Side Steps - Black with Silver Inserts						S	S
Rear Sports Bar - Chrome Tubular		S	S	S	S		
Rear Sports Bar - Sailplane						S	S
Tow Bar		S	S	S	S	S	S
Wheels - 16" Steel							
Wheels - 16" Alloy	S						
Wheels - 17" Alloy		S	S	S	S		
Wheels - 18" Alloy				O	O	S	S
<b>Load Box Elements Load Box Elements</b>							
Bedliner with 12V Socket		S	S	S	S	S	S
Inner Tie Downs	S	S	S	S	S	S	S
Load Box Illumination	S	S	S	S	S	S	S
Load Rest	S						
Roller Shutter						S	S
Tailgate Lock - Manual	S	S	S	S	S		
Tailgate Lock - Power (activated with Central Locking)						S	S
Tailgate with Lift Assistance	S	S	S	S	S	S	S
<b>Seating</b>							
6-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S		
8-way Power Driver Seat Adjustment (plus Lumbar Support)						S	S
Heated Front Seats						S	S
XLT Leather Accented Seats (Black)				O	O		
Wildtrak Leather Accented Seats (Black with orange stitching)						S	S
<b>Comfort and Convenience</b>							
230V Inverter - Rear of Centre Console	S	S	S	S	S	S	S
Acoustic Windshield	S	S	S	S	S	S	S
Ambient Lighting - Multi-Colour						S	S
Auxillary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Rear of Centre Console		S	S	S	S	S	S
Centre Console - Single Lid with 2 Cup Holders & Coin Storage	S	S	S	S	S	S	S
Centre Console - Cooled		S	S	S	S	S	S
Child Seat Upper Anchorage Points (x 2)	S	S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)	S			S	S	S	S
Climate Control - Single Zone Manual	S						
Climate Control - Dual Zone Automatic	P	S	S	S	S	S	S
Dual Colour 4.2" Instrumentation Screens	P	S	S	S	S	S	S
Floor Coverings - Vinyl							
Floor Coverings - Carpet	S	S	S	S	S	S	S
Floor Mats - Driver Only	S	S	S	S	S		
Floor Mats (Wildtrak) - All Positions						S	S
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob		S	S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

5. Rear mud flaps on pick-up models only.



	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel
<b>Comfort and Convenience – Cont.</b>							
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S
Power Rear Windows	S			S	S	S	S
Rain Sensing Windscreen Wipers		S	S	S	S	S	S
Rear Window Defrost	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S						
Rear View Mirror - Electrochromatic		S	S	S	S	S	S
<b>Audio And Communication</b>							
4.2" Colour Multi-Function Display	S						
8" Colour Touch Screen	P	S	S	S	S	S	S
4 Speakers (2 Tweeters, 2 Woofers)							
6 Speakers (2 Tweeters, 4 Woofers)	S	S	S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay & Android Auto <sup>6</sup>	P	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming <sup>7</sup>	S	S	S	S	S	S	S
CD Player (MP3 compatible)	S	S	S	S	S	S	S
DAB+ Digital Radio	P	S	S	S	S	S	S
Satellite Navigation with Traffic Message Channel <sup>8</sup>	P	S	S	S	S	S	S
SYNC® with Voice-Activated Controls <sup>9</sup>	S						
SYNC®3 with Voice-Activated Controls <sup>9</sup>	P	S	S	S	S	S	S
USB Ports x 2	S	S	S	S	S	S	S
<b>Safety, Security and Driver Assistance</b>							
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
Adaptive Cruise Control <sup>10</sup>		P	P	P	P	S	S
Adjustable Speed Limiter	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors	S	S	S	S	S	S	S
Anti-Lock Braking System (ABS) <sup>10</sup>	S	S	S	S	S	S	S
Auto High Beam <sup>10</sup>	S	S	S	S	S	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S
Driver Impairment Monitor <sup>10</sup>	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) <sup>10</sup>	S	S	S	S	S	S	S
Emergency Assistance <sup>11</sup>	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S
Hill Descent Control <sup>10</sup>	S	S	S	S	S	S	S
Hill Launch Assist <sup>10</sup>	S	S	S	S	S	S	S
Lane Keeping Aid <sup>10</sup>	S	S	S	S	S	S	S
Load Adaptive Control <sup>10</sup>	S	S	S	S	S	S	S
MyKey®		S	S	S	S	S	S
Parking Sensors - Front	S	S	S	S	S	S	S
Parking Sensors - Rear	S	S	S	S	S	S	S
Pre-Collision Assist - AEB with Pedestrian Detection <sup>10</sup>	S	S	S	S	S	S	S
Rear Differential - eLocking	S	S	S	S	S	S	S
Rear View Camera	S	S	S	S	S	S	S
Remote Keyless Entry - 1 Fob Provided							
Roll Over Mitigation <sup>10</sup>	S	S	S	S	S	S	S
Semi-Auto Active Park Assist <sup>10</sup>		P	P	P	P	S	S
Smart Keyless Entry with Push Button Start - 2 Fobs Provided	P	S	S	S	S	S	S
Traction Control System <sup>10</sup>	S	S	S	S	S	S	S
Traffic Sign Recognition <sup>10</sup>	S	S	S	S	S	S	S
Trailer Sway Control <sup>10</sup>	S	S	S	S	S	S	S
Tyre Pressure Monitoring System		S	S	S	S	S	S
<b>Regular Production Options</b>							
Automatic Transmission	O	S	S	O	S	O	S
Black 18" Alloy Wheels				O	O	O	O
SYNC®3 Pack, including: SYNC®3 <sup>9</sup> , 8" Touch Screen, Satellite Navigation <sup>8</sup> , Dual 4.2" Instrument Screens, DAB+ Digital Radio, Dual Zone Climate Control, Smart Keyless Entry with Push Button Start, Chrome Exterior Grille & Handles	O						
XLT Leather Accented Seats				O	O		
XLT Tech Pack, including: Adaptive Cruise Control <sup>10</sup> , Semi Auto Active Park Assist <sup>10</sup>		O	O	O	O		
Prestige Paint	O	O	O	O	O	O	O

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

6. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 7. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 8. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cease for any reason. 9. Not all SYNC® and SYNC®3 features are compatible with all phones. For compatibility, see ford.com.au/sync. 10. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 11. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off.