

|   | 4x2 XL<br>Single Cab<br>Chassis<br>Low-Rider<br>2.2 Diesel | 4x2 XL<br>Single Cab<br>Chassis<br>Hi-Rider<br>2.2 Diesel | 4x2 XL<br>Super Cab<br>Chassis<br>Hi-Rider<br>2.2 Diesel | 4x2 XL Double<br>Cab Chassis<br>Hi-Rider<br>2.2 Diesel | 4x2 XL Double<br>Cab Pick-up<br>Hi-Rider 2.2<br>Diesel | 4x2 XLT Double<br>Cab Pick-up<br>Hi-Rider 3.2<br>Diesel | 4x2 XLT Double<br>Cab Pick-up<br>Hi-Rider 2.0<br>Diesel |
|---|--|---|--|--|--|---|---|
| <b>Engine</b>   |  |   |  |  |  |   |   |
| Engine Type   | Inline 4 Cylinder  | Inline 4 Cylinder   | Inline 4 Cylinder  | Inline 4 Cylinder                                      | Inline 4 Cylinder                                      | Inline 5 Cylinder                                       | Inline 4 Cylinder                                       |
| Engine Size (cm <sup>3</sup> )                        | 2198   | 2198  | 2198   | 2198   | 2198   | 3198  | 1996  |
| Compression Ratio                                     | 15.7:1   | 15.7:1  | 15.7:1   | 15.7:1   | 15.7:1   | 15.7:1  | 16:1  |
| Maximum Power   | 118kW @ 3200rpm  | 118kW @ 3200rpm   | 118kW @ 3200rpm  | 118kW @ 3200rpm  | 118kW @ 3200rpm  | 147kW @ 3000rpm   | 157kW @ 3750rpm   |
| Maximum Torque  | 385Nm @<br>1600-2500rpm                                    | 385Nm @<br>1600-2500rpm                                   | 385Nm @<br>1600-2500rpm                                  | 385Nm @<br>1600-2500rpm                                | 385Nm @<br>1600-2500rpm                                | 470Nm @<br>1750-2500rpm                                 | 500Nm @<br>1750-2000rpm                                 |
| No. of Valves   | 16   | 16  | 16   | 16   | 16   | 20  | 16  |
| Bore x Stroke (mm)                                    | 86 x 94.6  | 86 x 94.6   | 86 x 94.6  | 86 x 94.6  | 86 x 94.6  | 89.9 x 100.76   | 84 x 90   |
| Fuel Management System                                | Turbocharged<br>direct common rail<br>injection            | Turbocharged<br>direct common rail<br>injection           | Turbocharged<br>direct common rail<br>injection          | Turbocharged<br>direct common rail<br>injection        | Turbocharged<br>direct common rail<br>injection        | Turbocharged<br>direct common rail<br>injection         | Turbocharged<br>direct common rail<br>injection         |
| <b>Transmissions/Ratios</b>                           |  |   |  |  |  |   |   |
| 6-speed manual transmission                           | S  |   |  |  |  |   |   |
| 6-speed automatic transmission                        |  | S   | S  | S  | S  | S   |   |
| 10-speed automatic transmission                       |  |   |  |  |  |   | S   |
| <b>Fuel</b>   |  |   |  |  |  |   |   |
| Combined Fuel Economy (L/100km)(Manual) <sup>1</sup>  | 6.5  |   |  |  |  |   |   |
| CO <sub>2</sub> Emissions (g/km)(Manual) <sup>1</sup> | 169  |   |  |  |  |   |   |
| Combined Fuel Economy (L/100km)(Auto) <sup>1</sup>    |  | 7.8   | 7.8  | 7.8  | 7.8  | 8.2   | 6.7   |
| CO <sub>2</sub> Emissions (g/km)(Auto) <sup>1</sup>   |  | 203   | 203  | 203  | 203  | 216   | 177   |
| Fuel Tank Capacity (L)                                | 80   | 80  | 80   | 80   | 80   | 80  | 80  |
| Fuel Type   | Diesel   | Diesel  | Diesel   | Diesel   | Diesel   | Diesel  | Diesel  |
| <b>Pick-up Box Dimensions (mm)</b>                    |  |   |  |  |  |   |   |
| Height - at centreline of axle                        |  |   |  |  | 511  | 511   | 511   |
| Height - floor height to ground                       |  |   |  |  | 835  | 835   | 835   |
| Length - at floor                                     |  |   |  |  | 1549   | 1549  | 1549  |
| Length - top of box                                   |  |   |  |  | 1485   | 1485  | 1485  |
| Width - between wheelhouses                           |  |   |  |  | 1139   | 1139  | 1139  |
| Width - pick-up box                                   |  |   |  |  | 1560   | 1560  | 1560  |
| Width - rear opening                                  |  |   |  |  | 1330   | 1330  | 1330  |
| <b>Exterior Dimensions (mm)</b>                       |  |   |  |  |  |   |   |
| Length - with rear bumper (where fitted)              | 5113   | 5113  | 5113   | 5113   | 5362   | 5426  | 5426  |
| Width - exterior mirrors extended                     | 2163   | 2163  | 2163   | 2163   | 2163   | 2163  | 2163  |
| Width - exterior mirrors folded                       | 1977   | 1977  | 1977   | 1977   | 1977   | 1977  | 1977  |
| Width - excluding mirrors                             | 1860   | 1860  | 1860   | 1860   | 1860   | 1860  | 1860  |
| Height  | 1703   | 1800  | 1804   | 1815   | 1815   | 1821  | 1821  |
| Overhang - Front                                      | 908  | 908   | 908  | 908  | 908  | 908   | 908   |
| Overhang - Rear                                       | 985  | 985   | 985  | 985  | 1234   | 1226  | 1226  |
| Track - Front and Rear                                | 1590   | 1560  | 1560   | 1560   | 1560   | 1560  | 1560  |
| Wheelbase   | 3220   | 3220  | 3220   | 3220   | 3220   | 3220  | 3220  |
| Ground Clearance (unladen, mm)                        | 201  | 232   | 232  | 232  | 232  | 237   | 237   |
| Wading Depth (mm)                                     | 600  | 800   | 800  | 800  | 800  | 800   | 800   |
| Approach Angle (unladen, degrees)                     | 22   | 28  | 28   | 28   | 28   | 29  | 29  |
| Departure Angle (unladen, degrees)                    | 24   | 28  | 24   | 28   | 27   | 21  | 21  |
| measured to:  |  |   |  |  |  |   |   |
| a) rear bumper on XL Pick-up models,                  |  |   |  |  |  |   |   |
| b) spare tyre on XL Cab Chassis models,               |  |   |  |  |  |   |   |
| c) tow bar on XLT and Wildtrak models                 |  |   |  |  |  |   |   |
| Ramp Breakover Angle (degrees)                        | 17   | 24  | 24   | 24   | 24   | 25  | 25  |
| Turning Circle - Kerb to Kerb (m)                     | 11.9   | 12.7  | 12.7   | 12.7   | 12.7   | 12.7  | 12.7  |
| <b>Interior Dimensions (mm)</b>                       |  |   |  |  |  |   |   |
| 2nd Row Headroom                                      |  |   | 938  | 986  | 986  | 986   | 986   |
| 2nd Row Legroom                                       |  |   | 796  | 902  | 902  | 902   | 902   |
| 2nd Row Shoulder Room                                 |  |   | 1400   | 1430   | 1430   | 1430  | 1430  |
| Front Headroom  | 1024   | 1024  | 1024   | 1022   | 1022   | 1022  | 1022  |
| Front Legroom   | 1058   | 1058  | 1058   | 1058   | 1058   | 1058  | 1058  |
| Front Shoulder Room                                   | 1440   | 1440  | 1440   | 1440   | 1440   | 1440  | 1440  |
| <b>Vehicle Masses (kg)<sup>2</sup></b>                |  |   |  |  |  |   |   |
| Kerb Weight - Total <sup>3</sup>                      | 1659   | 1717  | 1776   | 1838   | 1963   | 2124  | 2092  |
| Kerb Weight - Front Axle <sup>3</sup>                 | 1041   | 1079  | 1103   | 1114   | 1153   | 1159  | 1132  |
| Kerb Weight - Rear Axle <sup>3</sup>                  | 618  | 638   | 673  | 724  | 810  | 965   | 960   |
| Payload <sup>4</sup>                                  | 1266   | 1483  | 1424   | 1362   | 1237   | 1076  | 1108  |
| Gross Vehicle Mass                                    | 2925   | 3200  | 3200   | 3200   | 3200   | 3200  | 3200  |
| Gross Combined Mass                                   | 5425   | 6000  | 6000   | 6000   | 6000   | 6000  | 6000  |
| Maximum Braked Towing Capacity <sup>5</sup>           | 2500   | 3500  | 3500   | 3500   | 3500   | 3500  | 3500  |
| Maximum Axle Load - Front                             | 1325   | 1480  | 1480   | 1480   | 1480   | 1480  | 1480  |
| Maximum Axle Load - Rear                              | 1755   | 1850  | 1850   | 1850   | 1850   | 1850  | 1850  |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. On variants where both a 6-speed manual and 6-speed auto are available, the weights shown are for the 6-speed manual. The 6-speed auto adds 17kg to the kerb weight, which then reduces the payload by 17kg. 3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 5. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

|   | 4x2 XL<br>Single Cab<br>Chassis<br>Low-Rider<br>2.2 Diesel | 4x2 XL<br>Single Cab<br>Chassis<br>Hi-Rider<br>2.2 Diesel | 4x2 XL<br>Super Cab<br>Chassis<br>Hi-Rider<br>2.2 Diesel | 4x2 XL Double<br>Cab Chassis<br>Hi-Rider<br>2.2 Diesel | 4x2 XL Double<br>Cab Pick-up<br>Hi-Rider 2.2<br>Diesel | 4x2 XLT Double<br>Cab Pick-up<br>Hi-Rider 3.2<br>Diesel | 4x2 XLT Double<br>Cab Pick-up<br>Hi-Rider 2.0<br>Diesel |
|---|--|---|--|--|--|---|---|
| <b>Exterior</b>   |  |   |  |  |  |   |   |
| Centre High Mounted Stop Light                                |  |   |  |  | S  | S   | S   |
| Exterior Lighting - LED Daytime Running Lamps                 |  |   |  |  |  | S   | S   |
| Exterior Door / Tailgate Handles - Black                      | S  | S   | S  | S  | S  |   |   |
| Exterior Door / Tailgate Handles - Chrome                     |  |   |  |  |  | S   | S   |
| Exterior Door / Tailgate Handles - Monument Grey              |  |   |  |  |  |   |   |
| Exterior Mirrors - Black                                      | S  | S   | S  | S  | S  |   |   |
| Exterior Mirrors - London Grey                                |  |   |  |  |  |   |   |
| Exterior Mirrors - Chrome                                     |  |   |  |  |  | S   | S   |
| Exterior Mirrors - Monument Grey                              |  |   |  |  |  |   |   |
| Exterior Mirrors - Power Adjustable                           | S  | S   | S  | S  | S  | S   | S   |
| Exterior Mirrors - Power Folding & Heated with Turn Indicator |  |   |  |  |  | S   | S   |
| Exterior Mirrors - Puddle Lamps                               |  |   |  |  |  |   |   |
| Front Bumper - Body Colour                                    | S  | S   | S  | S  | S  | S   | S   |
| Front Bumper Insert - Accent Monument Grey                    |  |   |  |  |  |   |   |
| Exterior Lighting - Front Fog Lamps (Halogen)                 |  |   |  |  |  | S   | S   |
| Exterior Lighting - Front Fog Lamps (LED)                     |  |   |  |  |  |   |   |
| Grille - Black  | S  | S   | S  | S  | S  |   |   |
| Grille - London Grey  |  |   |  |  |  |   |   |
| Grille - Chrome   |  |   |  |  |  | S   | S   |
| Grille - Monument Grey  |  |   |  |  |  |   |   |
| Exterior Lighting - High Intensity Discharge (HID) headlamps  |  |   |  |  |  | S   | S   |
| Mud Flaps - Front and Rear <sup>6</sup>                       | S  | S   | S  | S  | S  | S   | S   |
| Privacy Glass   |  |   |  |  |  | S   | S   |
| Rear Bumper - Body Colour                                     |  |   |  |  | S  |   |   |
| Rear Bumper - Chrome Steel                                    |  |   |  |  |  | S   | S   |
| Rear Bumper - Monument Grey                                   |  |   |  |  |  |   |   |
| Side Steps - Black  |  |   |  |  |  |   |   |
| Side Steps - Black with Silver Inserts                        |  |   |  |  |  |   |   |
| Rear Sports Bar - Chrome Tubular                              |  |   |  |  |  | S   | S   |
| Rear Sports Bar - Sailplane                                   |  |   |  |  |  |   |   |
| Tow Bar   |  |   |  |  |  | S   | S   |
| Wheels - 16" Steel  | S  | S   | S  | S  | S  |   |   |
| Wheels - 16" Alloy  |  |   |  |  |  |   |   |
| Wheels - 17" Alloy  |  |   |  |  |  | S   | S   |
| Wheels - 18" Alloy  |  |   |  |  |  | O   | O   |
| <b>Load Box Elements Load Box Elements</b>                    |  |   |  |  |  |   |   |
| Bedliner with 12V Socket                                      |  |   |  |  |  | S   | S   |
| Inner Tie Downs   |  |   |  |  | S  | S   | S   |
| Load Box Illumination   |  |   |  |  | S  | S   | S   |
| Load Rest   |  |   |  |  | S  |   |   |
| Roller Shutter  |  |   |  |  |  |   |   |
| Tailgate Lock - Manual  |  |   |  |  | S  | S   | S   |
| Tailgate Lock - Power (activated with Central Locking)        |  |   |  |  |  |   |   |
| Tailgate with Lift Assistance                                 |  |   |  |  | S  | S   | S   |
| <b>Seating</b>  |  |   |  |  |  |   |   |
| 6-way Manual Driver Seat Adjustment (plus Lumbar Support)     | S  | S   | S  | S  | S  | S   | S   |
| 8-way Power Driver Seat Adjustment (plus Lumbar Support)      |  |   |  |  |  |   |   |
| Heated Front Seats  |  |   |  |  |  |   |   |
| XLT Leather Accented Seats (Black)                            |  |   |  |  |  | O   | O   |
| Wildtrak Leather Accented Seats (Black with orange stitching) |  |   |  |  |  |   |   |
| <b>Comfort and Convenience</b>                                |  |   |  |  |  |   |   |
| 230V Inverter - Rear of Centre Console                        |  |   | S  | S  | S  | S   | S   |
| Ambient Lighting - Multi-Colour                               |  |   |  |  |  |   |   |
| Auxillary 12V Power Outlet - Lower Dashboard                  | S  | S   | S  | S  | S  | S   | S   |
| Auxillary 12V Power Outlet - Rear of Centre Console           |  |   |  |  |  | S   | S   |
| Centre Console - Single Lid with 2 Cup Holders & Coin Storage | S  | S   | S  | S  | S  | S   | S   |
| Centre Console - Cooled                                       |  |   |  |  |  | S   | S   |
| Child Seat Upper Anchorage Points (x 2)                       |  |   | S  | S  | S  | S   | S   |
| Child Seat ISOFIX Anchorage Points (x 2)                      |  |   |  | S  | S  | S   | S   |
| Climate Control - Single Zone Manual                          | S  | S   | S  | S  | S  |   |   |
| Climate Control - Dual Zone Automatic                         |  |   |  |  |  | S   | S   |
| Dual Colour 4.2" Instrumentation Screens                      |  |   |  |  |  | S   | S   |
| Floor Coverings - Vinyl                                       | S  | S   | S  | S  | S  |   |   |
| Floor Coverings - Carpet                                      |  |   |  |  |  | S   | S   |
| Floor Mats - Driver Only                                      |  |   |  |  |  | S   | S   |
| Floor Mats (Wildtrak) - All Positions                         |  |   |  |  |  |   |   |
| Headlamps - Auto On/Off Function                              | S  | S   | S  | S  | S  | S   | S   |
| Leather Wrapped Steering Wheel & Gear Knob                    |  |   |  |  |  | S   | S   |
| Power Front Windows (Auto Driver)                             | S  | S   | S  | S  | S  | S   | S   |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

6. Rear mud flaps on pick-up models only.

|   | 4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel | 4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel | 4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel | 4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel | 4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel | 4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel | 4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel |
|---|--|---|--|---|---|--|--|
| <b>Comfort and Convenience – Cont.</b>  |  |   |  |   |   |  |  |
| Power Rear Windows  |  |   |  | S   | S   | S  | S  |
| Rain Sensing Windscreen Wipers  |  |   |  |   |   | S  | S  |
| Rear Window Defrost   | S  | S   | S  | S   | S   | S  | S  |
| Rear View Mirror - Manual Day/Night Inside  | S  | S   | S  | S   | S   |  |  |
| Rear View Mirror - Electrochromatic   |  |   |  |   |   | S  | S  |
| <b>Audio And Communication</b>  |  |   |  |   |   |  |  |
| 4.2" Colour Multi-Function Display  | S  | S   | S  | S   | S   |  |  |
| 8" Colour Touch Screen  |  |   |  |   |   | S  | S  |
| 4 Speakers (2 Tweeters, 2 Woofers)  | S  | S   |  |   |   |  |  |
| 6 Speakers (2 Tweeters, 4 Woofers)  |  |   | S  | S   | S   | S  | S  |
| AM/FM Stereo Radio  | S  | S   | S  | S   | S   | S  | S  |
| Apple CarPlay & Android Auto <sup>7</sup>   |  |   |  |   |   | S  | S  |
| Bluetooth® with Phone/Audio Streaming <sup>8</sup>  | S  | S   | S  | S   | S   | S  | S  |
| CD Player (MP3 compatible)  | S  | S   | S  | S   | S   | S  | S  |
| DAB+ Digital Radio  |  |   |  |   |   | S  | S  |
| Satellite Navigation with Traffic Message Channel <sup>9</sup>  |  |   |  |   |   | S  | S  |
| SYNC® with Voice-Activated Controls <sup>10</sup>   | S  | S   | S  | S   | S   |  |  |
| SYNC®3 with Voice-Activated Controls <sup>10</sup>  |  |   |  |   |   | S  | S  |
| USB Port x1   | S  | S   | S  | S   | S   |  |  |
| USB Ports x 2   |  |   |  |   |   | S  | S  |
| <b>Safety, Security and Driver Assistance</b>   |  |   |  |   |   |  |  |
| 3 Point Lap Sash Seat Belt - All Positions  | S  | S   | S  | S   | S   | S  | S  |
| Adaptive Cruise Control with Forward Collision Alert <sup>11</sup>  |  |   |  |   |   | P  | P  |
| Adjustable Speed Limiter  | S  | S   | S  | S   | S   | S  | S  |
| Airbags - Driver and Front Passenger  | S  | S   | S  | S   | S   | S  | S  |
| Airbags - Front Seat Side   | S  | S   | S  | S   | S   | S  | S  |
| Airbags - Side Curtain (Full Length)  | S  | S   | S  | S   | S   | S  | S  |
| Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors   |  |   |  |   |   | S  | S  |
| Anti-Lock Braking System (ABS) <sup>11</sup>  | S  | S   | S  | S   | S   | S  | S  |
| Auto High Beam <sup>11</sup>  |  |   |  |   |   | P  | P  |
| Beltminder™ - All Positions   | S  | S   | S  | S   | S   | S  | S  |
| Cruise Control  | S  | S   | S  | S   | S   | S  | S  |
| Driver Impairment Monitor <sup>11</sup>   |  |   |  |   |   | P  | P  |
| Dynamic Stability Control (DSC) <sup>11</sup>   | S  | S   | S  | S   | S   | S  | S  |
| Emergency Assistance <sup>12</sup>  | S  | S   | S  | S   | S   | S  | S  |
| Emergency Brake Assist  | S  | S   | S  | S   | S   | S  | S  |
| Emergency Brake Light   | S  | S   | S  | S   | S   | S  | S  |
| Hill Descent Control <sup>11</sup>  |  |   |  |   |   |  |  |
| Hill Launch Assist <sup>11</sup>  | S  | S   | S  | S   | S   | S  | S  |
| Lane Keeping Aid <sup>11</sup>  |  |   |  |   |   | P  | P  |
| Load Adaptive Control <sup>11</sup>   | S  | S   | S  | S   | S   | S  | S  |
| MyKey®  |  |   |  |   |   | S  | S  |
| Parking Sensors - Front   |  |   |  |   |   | S  | S  |
| Parking Sensors - Rear  |  |   |  |   | S   | S  | S  |
| Pre-Collision Assist - AEB with Pedestrian Detection <sup>11</sup>  |  |   |  |   |   | P  | P  |
| Rear Differential - eLocking  |  | S   | S  | S   | S   | S  | S  |
| Rear View Camera  |  |   |  |   | S   | S  | S  |
| Remote Keyless Entry - 1 Fob Provided   | S  | S   | S  | S   | S   |  |  |
| Roll Over Mitigation <sup>11</sup>  | S  | S   | S  | S   | S   | S  | S  |
| Semi-Auto Active Park Assist <sup>11</sup>  |  |   |  |   |   | P  | P  |
| Smart Keyless Entry with Push Button Start - 2 Fobs Provided  |  |   |  |   |   | S  | S  |
| Traction Control System <sup>11</sup>   | S  | S   | S  | S   | S   | S  | S  |
| Traffic Sign Recognition <sup>11</sup>  |  |   |  |   |   | P  | P  |
| Trailer Sway Control <sup>11</sup>  | S  | S   | S  | S   | S   | S  | S  |
| Tyre Pressure Monitoring System   |  |   |  |   |   | S  | S  |
| <b>Regular Production Options</b>   |  |   |  |   |   |  |  |
| Automatic Transmission  |  | S   | S  | S   | S   | S  | S  |
| Black 18" Alloy Wheels  |  |   |  |   |   | O  | O  |
| SYNC®3 Pack, including: - SYNC®3 · 8" Touch Screen · Satellite Navigation · Dual 4.2" Instrument Screens · DAB+ Digital Radio · Dual Zone Climate Control · Smart Keyless Entry with Push Button Start · Chrome Exterior Grille & Handles                                       |  |   |  |   |   | O  | O  |
| XLT Leather Accented Seats  |  |   |  |   |   | O  | O  |
| XLT Tech Pack, including: - Adaptive Cruise Control with Forward Collision Alert · Pre-Collision Assist (AEB with Pedestrian Detection) · Auto High Beam · Driver Impairment Monitor · Lane Keeping Aid · Semi Auto Active Park Assist · Traffic Sign Recognition <sup>11</sup> |  |   |  |   |   | O  | O  |
| Prestige Paint <sup>13</sup>  | O  | O   | O  | O   | O   | O  | O  |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

7. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 8. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cease for any reason. 10. Not all SYNC® and SYNC®3 features are compatible with all phones. For compatibility, see ford.com.au/sync. 11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 12. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 13. Prestige paint is an option that incurs an additional charge.

|   | 4x4 XL<br>Single Cab<br>Chassis<br>3.2 Diesel   | 4x4 XL<br>Super Cab<br>Chassis<br>3.2 Diesel    | 4x4 XL<br>Super Cab<br>Pick-up<br>3.2 Diesel    | 4x4 XL<br>Double Cab<br>Chassis<br>2.2 Diesel   | 4x4 XL<br>Double Cab<br>Chassis<br>3.2 Diesel   | 4x4 XL<br>Double Cab<br>Pick-up<br>2.2 Diesel   | 4x4 XL<br>Double Cab<br>Pick-up<br>3.2 Diesel   |
|---|---|---|---|---|---|---|---|
| <b>Engine</b>   |   |   |   |   |   |   |   |
| Engine Type   | Inline 5 Cylinder                               | Inline 5 Cylinder                               | Inline 5 Cylinder                               | Inline 4 Cylinder                               | Inline 5 Cylinder                               | Inline 4 Cylinder                               | Inline 5 Cylinder                               |
| Engine Size (cm <sup>3</sup> )                        | 3198  | 3198  | 3198  | 2198  | 3198  | 2198  | 3198  |
| Compression Ratio                                     | 15.7:1  | 15.7:1  | 15.7:1  | 15.7:1  | 15.7:1  | 15.7:1  | 15.7:1  |
| Maximum Power   | 147kW @ 3000rpm                                 | 147kW @ 3000rpm                                 | 147kW @ 3000rpm                                 | 118kW @ 3200rpm                                 | 147kW @ 3000rpm                                 | 118kW @ 3200rpm                                 | 147kW @ 3000rpm                                 |
| Maximum Torque  | 470Nm @<br>1750-2500rpm                         | 470Nm @<br>1750-2500rpm                         | 470Nm @<br>1750-2500rpm                         | 385Nm @<br>1600-2500rpm                         | 470Nm @<br>1750-2500rpm                         | 385Nm @<br>1600-2500rpm                         | 470Nm @<br>1750-2500rpm                         |
| No. of Valves   | 20  | 20  | 20  | 16  | 20  | 16  | 20  |
| Bore x Stroke (mm)                                    | 89.9 x 100.76                                   | 89.9 x 100.76                                   | 89.9 x 100.76                                   | 86 x 94.6                                       | 89.9 x 100.76                                   | 86 x 94.6                                       | 89.9 x 100.76                                   |
| Fuel Management System                                | Turbocharged<br>direct common rail<br>injection | Turbocharged<br>direct common rail<br>injection | Turbocharged<br>direct common rail<br>injection | Turbocharged<br>direct common rail<br>injection | Turbocharged<br>direct common rail<br>injection | Turbocharged<br>direct common rail<br>injection | Turbocharged<br>direct common rail<br>injection |
| <b>Transmissions/Ratios</b>                           |   |   |   |   |   |   |   |
| 6-speed manual transmission                           | S   | S   |   |   | S   |   | S   |
| 6-speed automatic transmission                        | O   | O   | S   | S   | O   | S   | O   |
| 10-speed automatic transmission                       |   |   |   |   |   |   |   |
| <b>Fuel</b>   |   |   |   |   |   |   |   |
| Combined Fuel Economy (L/100km)(Manual) <sup>1</sup>  | 8.3   | 8.3   |   |   | 8.3   |   | 8.3   |
| CO <sub>2</sub> Emissions (g/km)(Manual) <sup>1</sup> | 218   | 218   |   |   | 218   |   | 218   |
| Combined Fuel Economy (L/100km)(Auto) <sup>1</sup>    | 8.7   | 8.7   | 8.7   | 8.0   | 8.7   | 8.0   | 8.7   |
| CO <sub>2</sub> Emissions (g/km)(Auto) <sup>1</sup>   | 229   | 229   | 229   | 209   | 229   | 209   | 229   |
| Fuel Tank Capacity (L)                                | 80  | 80  | 80  | 80  | 80  | 80  | 80  |
| Fuel Type   | Diesel  | Diesel  | Diesel  | Diesel  | Diesel  | Diesel  | Diesel  |
| <b>Pick-up Box Dimensions (mm)</b>                    |   |   |   |   |   |   |   |
| Height - at centreline of axle                        |   |   | 511   |   |   | 511   | 511   |
| Height - floor height to ground                       |   |   | 835   |   |   | 835   | 835   |
| Length - at floor                                     |   |   | 1847  |   |   | 1549  | 1549  |
| Length - top of box                                   |   |   | 1783  |   |   | 1485  | 1485  |
| Width - between wheelhouses                           |   |   | 1139  |   |   | 1139  | 1139  |
| Width - pick-up box                                   |   |   | 1560  |   |   | 1560  | 1560  |
| Width - rear opening                                  |   |   | 1330  |   |   | 1330  | 1330  |
| <b>Exterior Dimensions (mm)</b>                       |   |   |   |   |   |   |   |
| Length - with rear bumper (where fitted)              | 5113  | 5113  | 5362  | 5113  | 5113  | 5362  | 5362  |
| Width - exterior mirrors extended                     | 2163  | 2163  | 2163  | 2163  | 2163  | 2163  | 2163  |
| Width - exterior mirrors folded                       | 1977  | 1977  | 1977  | 1977  | 1977  | 1977  | 1977  |
| Width - excluding mirrors                             | 1860  | 1860  | 1860  | 1860  | 1860  | 1860  | 1860  |
| Height  | 1800  | 1804  | 1804  | 1815  | 1815  | 1815  | 1815  |
| Overhang - Front                                      | 908   | 908   | 908   | 908   | 908   | 908   | 908   |
| Overhang - Rear                                       | 985   | 985   | 1234  | 985   | 985   | 1234  | 1234  |
| Track - Front and Rear                                | 1560  | 1560  | 1560  | 1560  | 1560  | 1560  | 1560  |
| Wheelbase   | 3220  | 3220  | 3220  | 3220  | 3220  | 3220  | 3220  |
| Ground Clearance (unladen, mm)                        | 232   | 232   | 232   | 232   | 232   | 232   | 232   |
| Wading Depth (mm)                                     | 800   | 800   | 800   | 800   | 800   | 800   | 800   |
| Approach Angle (unladen, degrees)                     | 28  | 28  | 28  | 28  | 28  | 28  | 28  |
| Departure Angle (unladen, degrees)                    | 28  | 28  | 27  | 28  | 28  | 27  | 27  |
| measured to:  |   |   |   |   |   |   |   |
| a) rear bumper on XL Pick-up models,                  |   |   |   |   |   |   |   |
| b) spare tyre on XL Cab Chassis models,               |   |   |   |   |   |   |   |
| c) tow bar on XLT and Wildtrak models                 |   |   |   |   |   |   |   |
| Ramp Breakover Angle (degrees)                        | 24  | 24  | 24  | 24  | 24  | 24  | 24  |
| Turning Circle - Kerb to Kerb (m)                     | 12.7  | 12.7  | 12.7  | 12.7  | 12.7  | 12.7  | 12.7  |
| <b>Interior Dimensions (mm)</b>                       |   |   |   |   |   |   |   |
| 2nd Row Headroom                                      |   | 938   | 938   | 986   | 986   | 986   | 986   |
| 2nd Row Legroom                                       |   | 796   | 796   | 902   | 902   | 902   | 902   |
| 2nd Row Shoulder Room                                 |   | 1400  | 1400  | 1430  | 1430  | 1430  | 1430  |
| Front Headroom  | 1024  | 1024  | 1024  | 1022  | 1022  | 1022  | 1022  |
| Front Legroom   | 1058  | 1058  | 1058  | 1058  | 1058  | 1058  | 1058  |
| Front Shoulder Room                                   | 1440  | 1440  | 1440  | 1440  | 1440  | 1440  | 1440  |
| <b>Vehicle Masses (kg)<sup>2</sup></b>                |   |   |   |   |   |   |   |
| Kerb Weight - Total <sup>3</sup>                      | 1862  | 1926  | 2078  | 1931  | 1988  | 2057  | 2111  |
| Kerb Weight - Front Axle <sup>3</sup>                 | 1194  | 1218  | 1225  | 1190  | 1230  | 1230  | 1220  |
| Kerb Weight - Rear Axle <sup>3</sup>                  | 668   | 708   | 853   | 741   | 758   | 827   | 891   |
| Payload <sup>4</sup>                                  | 1338  | 1274  | 1122  | 1269  | 1212  | 1143  | 1089  |
| Gross Vehicle Mass                                    | 3200  | 3200  | 3200  | 3200  | 3200  | 3200  | 3200  |
| Gross Combined Mass                                   | 6000  | 6000  | 6000  | 6000  | 6000  | 6000  | 6000  |
| Maximum Braked Towing Capacity <sup>5</sup>           | 3500  | 3500  | 3500  | 3500  | 3500  | 3500  | 3500  |
| Maximum Axle Load - Front                             | 1480  | 1480  | 1480  | 1480  | 1480  | 1480  | 1480  |
| Maximum Axle Load - Rear                              | 1850  | 1850  | 1850  | 1850  | 1850  | 1850  | 1850  |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. On variants where both a 6-speed manual and 6-speed auto are available, the weights shown are for the 6-speed manual. The 6-speed auto adds 17kg to the kerb weight, which then reduces the payload by 17kg. 3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 5. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

|   | 4x4 XL<br>Single Cab<br>Chassis<br>3.2 Diesel | 4x4 XL<br>Super Cab<br>Chassis<br>3.2 Diesel | 4x4 XL<br>Super Cab<br>Pick-up<br>3.2 Diesel | 4x4 XL<br>Double Cab<br>Chassis<br>2.2 Diesel | 4x4 XL<br>Double Cab<br>Chassis<br>3.2 Diesel | 4x4 XL<br>Double Cab<br>Pick-up<br>2.2 Diesel | 4x4 XL<br>Double Cab<br>Pick-up<br>3.2 Diesel |
|---|---|--|--|---|---|---|---|
| <b>Exterior</b>   |   |  |  |   |   |   |   |
| Centre High Mounted Stop Light                                |   |  | S  |   |   | S   | S   |
| Exterior Lighting - LED Daytime Running Lamps                 |   |  |  |   |   |   |   |
| Exterior Door / Tailgate Handles - Black                      | S   | S  | S  | S   | S   | S   | S   |
| Exterior Door / Tailgate Handles - Chrome                     |   |  |  |   |   |   |   |
| Exterior Door / Tailgate Handles - Monument Grey              |   |  |  |   |   |   |   |
| Exterior Mirrors - Black                                      | S   | S  | S  | S   | S   | S   | S   |
| Exterior Mirrors - London Grey                                |   |  |  |   |   |   |   |
| Exterior Mirrors - Chrome                                     |   |  |  |   |   |   |   |
| Exterior Mirrors - Monument Grey                              |   |  |  |   |   |   |   |
| Exterior Mirrors - Power Adjustable                           | S   | S  | S  | S   | S   | S   | S   |
| Exterior Mirrors - Power Folding & Heated with Turn Indicator |   |  |  |   |   |   |   |
| Exterior Mirrors - Puddle Lamps                               |   |  |  |   |   |   |   |
| Front Bumper - Body Colour                                    | S   | S  | S  | S   | S   | S   | S   |
| Front Bumper Insert - Accent Monument Grey                    |   |  |  |   |   |   |   |
| Exterior Lighting - Front Fog Lamps (Halogen)                 |   |  |  |   |   |   |   |
| Exterior Lighting - Front Fog Lamps (LED)                     |   |  |  |   |   |   |   |
| Grille - Black  | S   | S  | S  | S   | S   | S   | S   |
| Grille - London Grey  |   |  |  |   |   |   |   |
| Grille - Chrome   |   |  |  |   |   |   |   |
| Grille - Monument Grey  |   |  |  |   |   |   |   |
| Exterior Lighting - High Intensity Discharge (HID) headlamps  |   |  |  |   |   |   |   |
| Mud Flaps - Front and Rear <sup>6</sup>                       | S   | S  | S  | S   | S   | S   | S   |
| Privacy Glass   |   |  |  |   |   |   |   |
| Rear Bumper - Body Colour                                     |   |  | S  |   |   | S   | S   |
| Rear Bumper - Chrome Steel                                    |   |  |  |   |   |   |   |
| Rear Bumper - Monument Grey                                   |   |  |  |   |   |   |   |
| Side Steps - Black  |   |  |  |   |   |   |   |
| Side Steps - Black with Silver Inserts                        |   |  |  |   |   |   |   |
| Rear Sports Bar - Chrome Tubular                              |   |  |  |   |   |   |   |
| Rear Sports Bar - Sailplane                                   |   |  |  |   |   |   |   |
| Tow Bar   |   |  |  |   |   |   |   |
| Wheels - 16" Steel  | S   | S  | S  | S   | S   | S   | S   |
| Wheels - 16" Alloy  |   |  |  |   |   |   |   |
| Wheels - 17" Alloy  |   |  |  |   |   |   |   |
| Wheels - 18" Alloy  |   |  |  |   |   |   |   |
| <b>Load Box Elements Load Box Elements</b>                    |   |  |  |   |   |   |   |
| Bedliner with 12V Socket                                      |   |  |  |   |   |   |   |
| Inner Tie Downs   |   |  | S  |   |   | S   | S   |
| Load Box Illumination   |   |  | S  |   |   | S   | S   |
| Load Rest   |   |  | S  |   |   | S   | S   |
| Roller Shutter  |   |  |  |   |   |   |   |
| Tailgate Lock - Manual  |   |  | S  |   |   | S   | S   |
| Tailgate Lock - Power (activated with Central Locking)        |   |  |  |   |   |   |   |
| Tailgate with Lift Assistance                                 |   |  | S  |   |   | S   | S   |
| <b>Seating</b>  |   |  |  |   |   |   |   |
| 6-way Manual Driver Seat Adjustment (plus Lumbar Support)     | S   | S  | S  | S   | S   | S   | S   |
| 8-way Power Driver Seat Adjustment (plus Lumbar Support)      |   |  |  |   |   |   |   |
| Heated Front Seats  |   |  |  |   |   |   |   |
| XLT Leather Accented Seats (Black)                            |   |  |  |   |   |   |   |
| Wildtrak Leather Accented Seats (Black with orange stitching) |   |  |  |   |   |   |   |
| <b>Comfort and Convenience</b>                                |   |  |  |   |   |   |   |
| 230V Inverter - Rear of Centre Console                        |   | S  | S  | S   | S   | S   | S   |
| Ambient Lighting - Multi-Colour                               |   |  |  |   |   |   |   |
| Auxillary 12V Power Outlet - Lower Dashboard                  | S   | S  | S  | S   | S   | S   | S   |
| Auxillary 12V Power Outlet - Rear of Centre Console           |   |  |  |   |   |   |   |
| Centre Console - Single Lid with 2 Cup Holders & Coin Storage | S   | S  | S  | S   | S   | S   | S   |
| Centre Console - Cooled                                       |   |  |  |   |   |   |   |
| Child Seat Upper Anchorage Points (x 2)                       |   | S  | S  | S   | S   | S   | S   |
| Child Seat ISOFIX Anchorage Points (x 2)                      |   |  |  | S   | S   | S   | S   |
| Climate Control - Single Zone Manual                          | S   | S  | S  | S   | S   | S   | S   |
| Climate Control - Dual Zone Automatic                         |   |  |  |   |   |   |   |
| Dual Colour 4.2" Instrumentation Screens                      |   |  |  |   |   |   |   |
| Floor Coverings - Vinyl                                       | S   | S  | S  | S   | S   | S   | S   |
| Floor Coverings - Carpet                                      |   |  |  |   |   |   |   |
| Floor Mats - Driver Only                                      |   |  |  |   |   |   |   |
| Floor Mats (Wildtrak) - All Positions                         |   |  |  |   |   |   |   |
| Headlamps - Auto On/Off Function                              | S   | S  | S  | S   | S   | S   | S   |
| Leather Wrapped Steering Wheel & Gear Knob                    |   |  |  |   |   |   |   |
| Power Front Windows (Auto Driver)                             | S   | S  | S  | S   | S   | S   | S   |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

6. Rear mud flaps on pick-up models only.

|   | 4x4 XL<br>Single Cab<br>Chassis<br>3.2 Diesel | 4x4 XL<br>Super Cab<br>Chassis<br>3.2 Diesel | 4x4 XL<br>Super Cab<br>Pick-up<br>3.2 Diesel | 4x4 XL<br>Double Cab<br>Chassis<br>2.2 Diesel | 4x4 XL<br>Double Cab<br>Chassis<br>3.2 Diesel | 4x4 XL<br>Double Cab<br>Pick-up<br>2.2 Diesel | 4x4 XL<br>Double Cab<br>Pick-up<br>3.2 Diesel |
|---|---|--|--|---|---|---|---|
| <b>Comfort and Convenience – Cont.</b>  |   |  |  |   |   |   |   |
| Power Rear Windows  |   |  |  | S   | S   | S   | S   |
| Rain Sensing Windscreen Wipers  |   |  |  |   |   |   |   |
| Rear Window Defrost   | S   | S  | S  | S   | S   | S   | S   |
| Rear View Mirror - Manual Day/Night Inside  | S   | S  | S  | S   | S   | S   | S   |
| Rear View Mirror - Electrochromatic   |   |  |  |   |   |   |   |
| <b>Audio And Communication</b>  |   |  |  |   |   |   |   |
| 4.2" Colour Multi-Function Display  | S   | S  | S  | S   | S   | S   | S   |
| 8" Colour Touch Screen  |   |  |  |   |   |   |   |
| 4 Speakers (2 Tweeters, 2 Woofers)  | S   |  |  |   |   |   |   |
| 6 Speakers (2 Tweeters, 4 Woofers)  |   | S  | S  | S   | S   | S   | S   |
| AM/FM Stereo Radio  | S   | S  | S  | S   | S   | S   | S   |
| Apple CarPlay & Android Auto <sup>7</sup>   |   |  |  |   |   |   |   |
| Bluetooth® with Phone/Audio Streaming <sup>8</sup>  | S   | S  | S  | S   | S   | S   | S   |
| CD Player (MP3 compatible)  | S   | S  | S  | S   | S   | S   | S   |
| DAB+ Digital Radio  |   |  |  |   |   |   |   |
| Satellite Navigation with Traffic Message Channel <sup>9</sup>  |   |  |  |   |   |   |   |
| SYNC® with Voice-Activated Controls <sup>10</sup>   | S   | S  | S  | S   | S   | S   | S   |
| SYNC®3 with Voice-Activated Controls <sup>10</sup>  |   |  |  |   |   |   |   |
| USB Port x1   | S   | S  | S  | S   | S   | S   | S   |
| USB Ports x 2   |   |  |  |   |   |   |   |
| <b>Safety, Security and Driver Assistance</b>   |   |  |  |   |   |   |   |
| 3 Point Lap Sash Seat Belt - All Positions  | S   | S  | S  | S   | S   | S   | S   |
| Adaptive Cruise Control with Forward Collision Alert <sup>11</sup>  |   |  |  |   |   |   |   |
| Adjustable Speed Limiter  | S   | S  | S  | S   | S   | S   | S   |
| Airbags - Driver and Front Passenger  | S   | S  | S  | S   | S   | S   | S   |
| Airbags - Front Seat Side   | S   | S  | S  | S   | S   | S   | S   |
| Airbags - Side Curtain (Full Length)  | S   | S  | S  | S   | S   | S   | S   |
| Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors   |   |  |  |   |   |   |   |
| Anti-Lock Braking System (ABS) <sup>11</sup>  | S   | S  | S  | S   | S   | S   | S   |
| Auto High Beam <sup>11</sup>  |   |  |  |   |   |   |   |
| Beltminder™ - All Positions   | S   | S  | S  | S   | S   | S   | S   |
| Cruise Control  | S   | S  | S  | S   | S   | S   | S   |
| Driver Impairment Monitor <sup>11</sup>   |   |  |  |   |   |   |   |
| Dynamic Stability Control (DSC) <sup>11</sup>   | S   | S  | S  | S   | S   | S   | S   |
| Emergency Assistance <sup>12</sup>  | S   | S  | S  | S   | S   | S   | S   |
| Emergency Brake Assist  | S   | S  | S  | S   | S   | S   | S   |
| Emergency Brake Light   | S   | S  | S  | S   | S   | S   | S   |
| Hill Descent Control <sup>11</sup>  | S   | S  | S  | S   | S   | S   | S   |
| Hill Launch Assist <sup>11</sup>  | S   | S  | S  | S   | S   | S   | S   |
| Lane Keeping Aid <sup>11</sup>  |   |  |  |   |   |   |   |
| Load Adaptive Control <sup>11</sup>   | S   | S  | S  | S   | S   | S   | S   |
| MyKey®  |   |  |  |   |   |   |   |
| Parking Sensors - Front   |   |  |  |   |   |   |   |
| Parking Sensors - Rear  |   |  | S  |   |   | S   | S   |
| Pre-Collision Assist - AEB with Pedestrian Detection <sup>11</sup>  |   |  |  |   |   |   |   |
| Rear Differential - eLocking  | S   | S  | S  | S   | S   | S   | S   |
| Rear View Camera  |   |  | S  |   |   | S   | S   |
| Remote Keyless Entry - 1 Fob Provided   | S   | S  | S  | S   | S   | S   | S   |
| Roll Over Mitigation <sup>11</sup>  | S   | S  | S  | S   | S   | S   | S   |
| Semi-Auto Active Park Assist <sup>11</sup>  |   |  |  |   |   |   |   |
| Smart Keyless Entry with Push Button Start - 2 Fobs Provided  |   |  |  |   |   |   |   |
| Traction Control System <sup>11</sup>   | S   | S  | S  | S   | S   | S   | S   |
| Traffic Sign Recognition <sup>11</sup>  |   |  |  |   |   |   |   |
| Trailer Sway Control <sup>11</sup>  | S   | S  | S  | S   | S   | S   | S   |
| Tyre Pressure Monitoring System   |   |  |  |   |   |   |   |
| <b>Regular Production Options</b>   | O   | O  | S  | S   | O   | S   | O   |
| Automatic Transmission  |   |  |  |   |   |   |   |
| Black 18" Alloy Wheels  |   |  |  |   |   |   |   |
| SYNC®3 Pack, including: · SYNC®3 · 8" Touch Screen · Satellite Navigation · Dual 4.2" Instrument Screens · DAB+ Digital Radio · Dual Zone Climate Control · Smart Keyless Entry with Push Button Start · Chrome Exterior Grille & Handles                                       |   |  |  |   |   |   |   |
| XLT Leather Accented Seats  |   |  |  |   |   |   |   |
| XLT Tech Pack, including: · Adaptive Cruise Control with Forward Collision Alert · Pre-Collision Assist (AEB with Pedestrian Detection) · Auto High Beam · Driver Impairment Monitor · Lane Keeping Aid · Semi Auto Active Park Assist · Traffic Sign Recognition <sup>11</sup> | O   | O  | O  | O   | O   | O   | O   |
| Prestige Paint <sup>13</sup>  | O   | O  | O  | O   | O   | O   | O   |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

7. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 8. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cease for any reason. 10. Not all SYNC® and SYNC®3 features are compatible with all phones. For compatibility, see ford.com.au/sync. 11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 12. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 13. Prestige paint is an option that incurs an additional charge.

|   | 4x4 XLS<br>Double Cab<br>Pick-up<br>3.2 Diesel  | 4x4 XLT<br>Super Cab<br>Pick-up<br>3.2 Diesel   | 4x4 XLT<br>Super Cab<br>Pick-up<br>2.0 Diesel   | 4x4 XLT<br>Double Cab<br>Pick-up<br>3.2 Diesel  | 4x4 XLT<br>Double Cab<br>Pick-up<br>2.0 Diesel  | 4x4 Wildtrak<br>Double Cab<br>Pick-up<br>3.2 Diesel | 4x4 Wildtrak<br>Double Cab<br>Pick-up<br>2.0 Diesel |
|---|---|---|---|---|---|---|---|
| <b>Engine</b>   |   |   |   |   |   |   |   |
| Engine Type   | Inline 5 Cylinder                               | Inline 5 Cylinder                               | Inline 4 Cylinder                               | Inline 5 Cylinder                               | Inline 4 Cylinder                               | Inline 5 Cylinder                                   | Inline 4 Cylinder                                   |
| Engine Size (cm <sup>3</sup> )                        | 3198  | 3198  | 1996  | 3198  | 1996  | 3198  | 1996  |
| Compression Ratio                                     | 15.7:1  | 15.7:1  | 16:1  | 15.7:1  | 16:1  | 15.7:1  | 16:1  |
| Maximum Power   | 147kW @ 3000rpm                                 | 147kW @ 3000rpm                                 | 157kW @ 3750rpm                                 | 147kW @ 3000rpm                                 | 157kW @ 3750rpm                                 | 147kW @ 3000rpm                                     | 157kW @ 3750rpm                                     |
| Maximum Torque  | 470Nm @<br>1750-2500rpm                         | 470Nm @<br>1750-2500rpm                         | 500Nm @<br>1750-2000rpm                         | 470Nm @<br>1750-2500rpm                         | 500Nm @<br>1750-2000rpm                         | 470Nm @<br>1750-2500rpm                             | 500Nm @<br>1750-2000rpm                             |
| No. of Valves   | 20  | 20  | 16  | 20  | 16  | 20  | 16  |
| Bore x Stroke (mm)                                    | 89.9 x 100.76                                   | 89.9 x 100.76                                   | 84 x 90   | 89.9 x 100.76                                   | 84 x 90   | 89.9 x 100.76                                       | 84 x 90   |
| Fuel Management System                                | Turbocharged<br>direct common rail<br>injection | Turbocharged<br>direct common rail<br>injection | Turbocharged<br>direct common rail<br>injection | Turbocharged<br>direct common rail<br>injection | Turbocharged<br>direct common rail<br>injection | Turbocharged<br>direct common rail<br>injection     | Turbocharged<br>direct common rail<br>injection     |
| <b>Transmissions/Ratios</b>                           |   |   |   |   |   |   |   |
| 6-speed manual transmission                           | S   |   |   | S   |   | S   |   |
| 6-speed automatic transmission                        | O   | S   |   | O   |   | O   |   |
| 10-speed automatic transmission                       |   |   | S   |   | S   |   | S   |
| <b>Fuel</b>   |   |   |   |   |   |   |   |
| Combined Fuel Economy (L/100km)(Manual) <sup>1</sup>  | 8.3   |   |   | 8.4   |   | 8.4   |   |
| CO <sub>2</sub> Emissions (g/km)(Manual) <sup>1</sup> | 218   |   |   | 221   |   | 221   |   |
| Combined Fuel Economy (L/100km)(Auto) <sup>1</sup>    | 8.9   | 8.7   | 7.4   | 8.9   | 7.4   | 8.9   | 7.4   |
| CO <sub>2</sub> Emissions (g/km)(Auto) <sup>1</sup>   | 234   | 229   | 195   | 234   | 195   | 234   | 195   |
| Fuel Tank Capacity (L)                                | 80  | 80  | 80  | 80  | 80  | 80  | 80  |
| Fuel Type   | Diesel  | Diesel  | Diesel  | Diesel  | Diesel  | Diesel  | Diesel  |
| <b>Pick-up Box Dimensions (mm)</b>                    |   |   |   |   |   |   |   |
| Height - at centreline of axle                        | 511   | 511   | 511   | 511   | 511   | 511   | 511   |
| Height - floor height to ground                       | 835   | 840   | 840   | 840   | 840   | 840   | 840   |
| Length - at floor                                     | 1549  | 1847  | 1847  | 1549  | 1549  | 1549  | 1549  |
| Length - top of box                                   | 1485  | 1783  | 1783  | 1485  | 1485  | 1485  | 1485  |
| Width - between wheelhouses                           | 1139  | 1139  | 1139  | 1139  | 1139  | 1139  | 1139  |
| Width - pick-up box                                   | 1560  | 1560  | 1560  | 1560  | 1560  | 1560  | 1560  |
| Width - rear opening                                  | 1330  | 1330  | 1330  | 1330  | 1330  | 1330  | 1330  |
| <b>Exterior Dimensions (mm)</b>                       |   |   |   |   |   |   |   |
| Length - with rear bumper (where fitted)              | 5362  | 5426  | 5426  | 5426  | 5426  | 5426  | 5426  |
| Width - exterior mirrors extended                     | 2163  | 2163  | 2163  | 2163  | 2163  | 2163  | 2163  |
| Width - exterior mirrors folded                       | 1977  | 1977  | 1977  | 1977  | 1977  | 1977  | 1977  |
| Width - excluding mirrors                             | 1860  | 1860  | 1860  | 1860  | 1860  | 1860  | 1860  |
| Height  | 1815  | 1810  | 1810  | 1821  | 1821  | 1848  | 1848  |
| Overhang - Front                                      | 908   | 908   | 908   | 908   | 908   | 908   | 908   |
| Overhang - Rear                                       | 1234  | 1226  | 1226  | 1226  | 1226  | 1226  | 1226  |
| Track - Front and Rear                                | 1560  | 1560  | 1560  | 1560  | 1560  | 1560  | 1560  |
| Wheelbase   | 3220  | 3220  | 3220  | 3220  | 3220  | 3220  | 3220  |
| Ground Clearance (unladen, mm)                        | 232   | 237   | 237   | 237   | 237   | 237   | 237   |
| Wading Depth (mm)                                     | 800   | 800   | 800   | 800   | 800   | 800   | 800   |
| Approach Angle (unladen, degrees)                     | 28  | 29  | 29  | 29  | 29  | 29  | 29  |
| Departure Angle (unladen, degrees)                    | 27  | 21  | 21  | 21  | 21  | 21  | 21  |
| measured to:  |   |   |   |   |   |   |   |
| a) rear bumper on XL Pick-up models,                  |   |   |   |   |   |   |   |
| b) spare tyre on XL Cab Chassis models,               |   |   |   |   |   |   |   |
| c) tow bar on XLT and Wildtrak models                 |   |   |   |   |   |   |   |
| Ramp Breakover Angle (degrees)                        | 24  | 25  | 25  | 25  | 25  | 25  | 25  |
| Turning Circle - Kerb to Kerb (m)                     | 12.7  | 12.7  | 12.7  | 12.7  | 12.7  | 12.7  | 12.7  |
| <b>Interior Dimensions (mm)</b>                       |   |   |   |   |   |   |   |
| 2nd Row Headroom                                      | 986   | 938   | 938   | 986   | 986   | 986   | 986   |
| 2nd Row Legroom                                       | 902   | 796   | 796   | 902   | 902   | 902   | 902   |
| 2nd Row Shoulder Room                                 | 1430  | 1400  | 1400  | 1430  | 1430  | 1430  | 1430  |
| Front Headroom  | 1022  | 1024  | 1024  | 1022  | 1022  | 1022  | 1022  |
| Front Legroom   | 1058  | 1058  | 1058  | 1058  | 1058  | 1058  | 1058  |
| Front Shoulder Room                                   | 1440  | 1440  | 1440  | 1440  | 1440  | 1440  | 1440  |
| <b>Vehicle Masses (kg)<sup>2</sup></b>                |   |   |   |   |   |   |   |
| Kerb Weight - Total <sup>3</sup>                      | 2184  | 2171  | 2139  | 2205  | 2190  | 2253  | 2239  |
| Kerb Weight - Front Axle <sup>3</sup>                 | 1221  | 1233  | 1207  | 1227  | 1213  | 1236  | 1221  |
| Kerb Weight - Rear Axle <sup>3</sup>                  | 963   | 938   | 932   | 978   | 977   | 1017  | 1018  |
| Payload <sup>4</sup>                                  | 1016  | 1029  | 1061  | 995   | 1010  | 947   | 961   |
| Gross Vehicle Mass                                    | 3200  | 3200  | 3200  | 3200  | 3200  | 3200  | 3200  |
| Gross Combined Mass                                   | 6000  | 6000  | 6000  | 6000  | 6000  | 6000  | 6000  |
| Maximum Braked Towing Capacity <sup>5</sup>           | 3500  | 3500  | 3500  | 3500  | 3500  | 3500  | 3500  |
| Maximum Axle Load - Front                             | 1480  | 1480  | 1480  | 1480  | 1480  | 1480  | 1480  |
| Maximum Axle Load - Rear                              | 1850  | 1850  | 1850  | 1850  | 1850  | 1850  | 1850  |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. On variants where both a 6-speed manual and 6-speed auto are available, the weights shown are for the 6-speed manual. The 6-speed auto adds 17kg to the kerb weight, which then reduces the payload by 17kg. 3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 5. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

|   | 4x4 XLS<br>Double Cab<br>Pick-up<br>3.2 Diesel | 4x4 XLT<br>Super Cab<br>Pick-up<br>3.2 Diesel | 4x4 XLT<br>Super Cab<br>Pick-up<br>2.0 Diesel | 4x4 XLT<br>Double Cab<br>Pick-up<br>3.2 Diesel | 4x4 XLT<br>Double Cab<br>Pick-up<br>2.0 Diesel | 4x4 Wildtrak<br>Double Cab<br>Pick-up<br>3.2 Diesel | 4x4 Wildtrak<br>Double Cab<br>Pick-up<br>2.0 Diesel |
|---|--|---|---|--|--|---|---|
| <b>Exterior</b>   |  |   |   |  |  |   |   |
| Centre High Mounted Stop Light                                | S  | S   | S   | S  | S  | S   | S   |
| Exterior Lighting - LED Daytime Running Lamps                 |  | S   | S   | S  | S  | S   | S   |
| Exterior Door / Tailgate Handles - Black                      | S  |   |   |  |  |   |   |
| Exterior Door / Tailgate Handles - Chrome                     | P  | S   | S   | S  | S  |   |   |
| Exterior Door / Tailgate Handles - Monument Grey              |  |   |   |  |  | S   | S   |
| Exterior Mirrors - Black                                      |  |   |   |  |  |   |   |
| Exterior Mirrors - London Grey                                | S  |   |   |  |  |   |   |
| Exterior Mirrors - Chrome                                     |  | S   | S   | S  | S  |   |   |
| Exterior Mirrors - Monument Grey                              |  |   |   |  |  | S   | S   |
| Exterior Mirrors - Power Adjustable                           | S  | S   | S   | S  | S  | S   | S   |
| Exterior Mirrors - Power Folding & Heated with Turn Indicator |  | S   | S   | S  | S  | S   | S   |
| Exterior Mirrors - Puddle Lamps                               |  |   |   |  |  | S   | S   |
| Front Bumper - Body Colour                                    | S  | S   | S   | S  | S  | S   | S   |
| Front Bumper Insert - Accent Monument Grey                    |  |   |   |  |  | S   | S   |
| Exterior Lighting - Front Fog Lamps (Halogen)                 | S  | S   | S   | S  | S  |   |   |
| Exterior Lighting - Front Fog Lamps (LED)                     |  |   |   |  |  | S   | S   |
| Grille - Black  |  |   |   |  |  |   |   |
| Grille - London Grey  | S  |   |   |  |  |   |   |
| Grille - Chrome   | P  | S   | S   | S  | S  |   |   |
| Grille - Monument Grey  |  |   |   |  |  | S   | S   |
| Exterior Lighting - High Intensity Discharge (HID) headlamps  |  | S   | S   | S  | S  | S   | S   |
| Mud Flaps - Front and Rear <sup>6</sup>                       | S  | S   | S   | S  | S  | S   | S   |
| Privacy Glass   |  | S   | S   | S  | S  | S   | S   |
| Rear Bumper - Body Colour                                     | S  |   |   |  |  |   |   |
| Rear Bumper - Chrome Steel                                    |  | S   | S   | S  | S  |   |   |
| Rear Bumper - Monument Grey                                   |  |   |   |  |  | S   | S   |
| Side Steps - Black  |  |   | S   | S  | S  |   |   |
| Side Steps - Black with Silver Inserts                        |  |   |   |  |  | S   | S   |
| Rear Sports Bar - Chrome Tubular                              |  | S   | S   | S  | S  |   |   |
| Rear Sports Bar - Sailplane                                   |  |   |   |  |  | S   | S   |
| Tow Bar   |  | S   | S   | S  | S  | S   | S   |
| Wheels - 16" Steel  |  |   |   |  |  |   |   |
| Wheels - 16" Alloy  | S  |   |   |  |  |   |   |
| Wheels - 17" Alloy  |  | S   | S   | S  | S  |   |   |
| Wheels - 18" Alloy  |  |   |   | O  | O  | S   | S   |
| <b>Load Box Elements Load Box Elements</b>                    |  |   |   |  |  |   |   |
| Bedliner with 12V Socket                                      |  | S   | S   | S  | S  | S   | S   |
| Inner Tie Downs   | S  | S   | S   | S  | S  | S   | S   |
| Load Box Illumination   | S  | S   | S   | S  | S  | S   | S   |
| Load Rest   | S  |   |   |  |  |   |   |
| Roller Shutter  |  |   |   |  |  | S   | S   |
| Tailgate Lock - Manual  | S  | S   | S   | S  | S  |   |   |
| Tailgate Lock - Power (activated with Central Locking)        |  |   |   |  |  | S   | S   |
| Tailgate with Lift Assistance                                 | S  | S   | S   | S  | S  | S   | S   |
| <b>Seating</b>  |  |   |   |  |  |   |   |
| 6-way Manual Driver Seat Adjustment (plus Lumbar Support)     | S  | S   | S   | S  | S  |   |   |
| 8-way Power Driver Seat Adjustment (plus Lumbar Support)      |  |   |   |  |  | S   | S   |
| Heated Front Seats  |  |   |   |  |  | S   | S   |
| XLT Leather Accented Seats (Black)                            |  |   |   | O  | O  |   |   |
| Wildtrak Leather Accented Seats (Black with orange stitching) |  |   |   |  |  | S   | S   |
| <b>Comfort and Convenience</b>                                |  |   |   |  |  |   |   |
| 230V Inverter - Rear of Centre Console                        | S  | S   | S   | S  | S  | S   | S   |
| Ambient Lighting - Multi-Colour                               |  |   |   |  |  | S   | S   |
| Auxillary 12V Power Outlet - Lower Dashboard                  | S  | S   | S   | S  | S  | S   | S   |
| Auxillary 12V Power Outlet - Rear of Centre Console           |  | S   | S   | S  | S  | S   | S   |
| Centre Console - Single Lid with 2 Cup Holders & Coin Storage | S  | S   | S   | S  | S  | S   | S   |
| Centre Console - Cooled                                       |  | S   | S   | S  | S  | S   | S   |
| Child Seat Upper Anchorage Points (x 2)                       | S  | S   | S   | S  | S  | S   | S   |
| Child Seat ISOFIX Anchorage Points (x 2)                      | S  |   |   | S  | S  | S   | S   |
| Climate Control - Single Zone Manual                          | S  |   |   |  |  |   |   |
| Climate Control - Dual Zone Automatic                         | P  | S   | S   | S  | S  | S   | S   |
| Dual Colour 4.2" Instrumentation Screens                      | P  | S   | S   | S  | S  | S   | S   |
| Floor Coverings - Vinyl                                       |  |   |   |  |  |   |   |
| Floor Coverings - Carpet                                      | S  | S   | S   | S  | S  | S   | S   |
| Floor Mats - Driver Only                                      | S  | S   | S   | S  | S  |   |   |
| Floor Mats (Wildtrak) - All Positions                         |  |   |   |  |  | S   | S   |
| Headlamps - Auto On/Off Function                              | S  | S   | S   | S  | S  | S   | S   |
| Leather Wrapped Steering Wheel & Gear Knob                    |  | S   | S   | S  | S  | S   | S   |
| Power Front Windows (Auto Driver)                             | S  | S   | S   | S  | S  | S   | S   |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

6. Rear mud flaps on pick-up models only.



|   | 4x4 XLS<br>Double Cab<br>Pick-up<br>3.2 Diesel | 4x4 XLT<br>Super Cab<br>Pick-up<br>3.2 Diesel | 4x4 XLT<br>Super Cab<br>Pick-up<br>2.0 Diesel | 4x4 XLT<br>Double Cab<br>Pick-up<br>3.2 Diesel | 4x4 XLT<br>Double Cab<br>Pick-up<br>2.0 Diesel | 4x4 Wildtrak<br>Double Cab<br>Pick-up<br>3.2 Diesel | 4x4 Wildtrak<br>Double Cab<br>Pick-up<br>2.0 Diesel |
|---|--|---|---|--|--|---|---|
| <b>Comfort and Convenience – Cont.</b>  |  |   |   |  |  |   |   |
| Power Rear Windows  | S  |   |   | S  | S  | S   | S   |
| Rain Sensing Windscreen Wipers  |  | S   | S   | S  | S  | S   | S   |
| Rear Window Defrost   | S  | S   | S   | S  | S  | S   | S   |
| Rear View Mirror - Manual Day/Night Inside  | S  |   |   |  |  |   |   |
| Rear View Mirror - Electrochromatic   |  | S   | S   | S  | S  | S   | S   |
| <b>Audio And Communication</b>  |  |   |   |  |  |   |   |
| 4.2" Colour Multi-Function Display  | S  |   |   |  |  |   |   |
| 8" Colour Touch Screen  | P  | S   | S   | S  | S  | S   | S   |
| 4 Speakers (2 Tweeters, 2 Woofers)  |  |   |   |  |  |   |   |
| 6 Speakers (2 Tweeters, 4 Woofers)  | S  | S   | S   | S  | S  | S   | S   |
| AM/FM Stereo Radio  | S  | S   | S   | S  | S  | S   | S   |
| Apple CarPlay & Android Auto <sup>7</sup>   | P  | S   | S   | S  | S  | S   | S   |
| Bluetooth® with Phone/Audio Streaming <sup>8</sup>  | S  | S   | S   | S  | S  | S   | S   |
| CD Player (MP3 compatible)  | S  | S   | S   | S  | S  | S   | S   |
| DAB+ Digital Radio  | P  | S   | S   | S  | S  | S   | S   |
| Satellite Navigation with Traffic Message Channel <sup>9</sup>  | P  | S   | S   | S  | S  | S   | S   |
| SYNC® with Voice-Activated Controls <sup>10</sup>   | S  |   |   |  |  |   |   |
| SYNC®3 with Voice-Activated Controls <sup>10</sup>  | P  | S   | S   | S  | S  | S   | S   |
| USB Port x1   | S  |   |   |  |  |   |   |
| USB Ports x2  | P  | S   | S   | S  | S  | S   | S   |
| <b>Safety, Security and Driver Assistance</b>   |  |   |   |  |  |   |   |
| 3 Point Lap Sash Seat Belt - All Positions  | S  | S   | S   | S  | S  | S   | S   |
| Adaptive Cruise Control with Forward Collision Alert <sup>11</sup>  |  | P   | P   | P  | P  | S   | S   |
| Adjustable Speed Limiter  | S  | S   | S   | S  | S  | S   | S   |
| Airbags - Driver and Front Passenger  | S  | S   | S   | S  | S  | S   | S   |
| Airbags - Front Seat Side   | S  | S   | S   | S  | S  | S   | S   |
| Airbags - Side Curtain (Full Length)  | S  | S   | S   | S  | S  | S   | S   |
| Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors   | S  | S   | S   | S  | S  | S   | S   |
| Anti-Lock Braking System (ABS) <sup>11</sup>  | S  | S   | S   | S  | S  | S   | S   |
| Auto High Beam <sup>11</sup>  |  | P   | P   | P  | P  | S   | S   |
| Beltminder™ - All Positions   | S  | S   | S   | S  | S  | S   | S   |
| Cruise Control  | S  | S   | S   | S  | S  | S   | S   |
| Driver Impairment Monitor <sup>11</sup>   |  | P   | P   | P  | P  | S   | S   |
| Dynamic Stability Control (DSC) <sup>11</sup>   | S  | S   | S   | S  | S  | S   | S   |
| Emergency Assistance <sup>12</sup>  | S  | S   | S   | S  | S  | S   | S   |
| Emergency Brake Assist  | S  | S   | S   | S  | S  | S   | S   |
| Emergency Brake Light   | S  | S   | S   | S  | S  | S   | S   |
| Hill Descent Control <sup>11</sup>  | S  | S   | S   | S  | S  | S   | S   |
| Hill Launch Assist <sup>11</sup>  | S  | S   | S   | S  | S  | S   | S   |
| Lane Keeping Aid <sup>11</sup>  |  | P   | P   | P  | P  | S   | S   |
| Load Adaptive Control <sup>11</sup>   | S  | S   | S   | S  | S  | S   | S   |
| MyKey®  | P  | S   | S   | S  | S  | S   | S   |
| Parking Sensors - Front   | S  | S   | S   | S  | S  | S   | S   |
| Parking Sensors - Rear  | S  | S   | S   | S  | S  | S   | S   |
| Pre-Collision Assist - AEB with Pedestrian Detection <sup>11</sup>  |  | P   | P   | P  | P  | S   | S   |
| Rear Differential - eLocking  | S  | S   | S   | S  | S  | S   | S   |
| Rear View Camera  | S  | S   | S   | S  | S  | S   | S   |
| Remote Keyless Entry - 1 Fob Provided   |  |   |   |  |  |   |   |
| Roll Over Mitigation <sup>11</sup>  | S  | S   | S   | S  | S  | S   | S   |
| Semi-Auto Active Park Assist <sup>11</sup>  |  | P   | P   | P  | P  | S   | S   |
| Smart Keyless Entry with Push Button Start - 2 Fobs Provided  | P  | S   | S   | S  | S  | S   | S   |
| Traction Control System <sup>11</sup>   | S  | S   | S   | S  | S  | S   | S   |
| Traffic Sign Recognition <sup>11</sup>  |  | P   | P   | P  | P  | S   | S   |
| Trailer Sway Control <sup>11</sup>  | S  | S   | S   | S  | S  | S   | S   |
| Tyre Pressure Monitoring System   |  | S   | S   | S  | S  | S   | S   |
| <b>Regular Production Options</b>   |  |   |   |  |  |   |   |
| Automatic Transmission  |  |   |   | O  | O  | O   | O   |
| Black 18" Alloy Wheels  | O  |   |   |  |  |   |   |
| SYNC®3 Pack, including: - SYNC®3 - 8" Touch Screen - Satellite Navigation - Dual 4.2" Instrument Screens - DAB+ Digital Radio - Dual Zone Climate Control - Smart Keyless Entry with Push Button Start - Chrome Exterior Grille & Handles                                       |  |   |   | O  | O  |   |   |
| XLT Leather Accented Seats  |  | O   | O   | O  | O  |   |   |
| XLT Tech Pack, including: - Adaptive Cruise Control with Forward Collision Alert - Pre-Collision Assist (AEB with Pedestrian Detection) - Auto High Beam - Driver Impairment Monitor - Lane Keeping Aid - Semi Auto Active Park Assist - Traffic Sign Recognition <sup>11</sup> |  | O   | O   | O  | O  | O   | O   |
| Prestige Paint <sup>13</sup>  | O  | O   | O   | O  | O  | O   | O   |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

7. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 8. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cease for any reason. 10. Not all SYNC® and SYNC®3 features are compatible with all phones. For compatibility, see ford.com.au/sync. 11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 12. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 13. Prestige paint is an option that incurs an additional charge.