

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Engine							
Engine Type	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm ³)	2198	2198	2198	2198	2198	3198	1996
Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	16:1
Maximum Power	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	147kW @ 3000rpm	157kW @ 3750rpm
Maximum Torque	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm
No. of Valves	16	16	16	16	16	20	16
Bore x Stroke (mm)	86 x 94.6	86 x 94.6	86 x 94.6	86 x 94.6	86 x 94.6	89.9 x 100.76	84 x 90
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
Transmissions							
6-speed manual transmission	S						
6-speed automatic transmission		S	S	S	S	S	
10-speed automatic transmission							S
Fuel							
Combined Fuel Economy (L/100km)(Manual) ¹	6.5						
CO ₂ Emissions (g/km)(Manual) ¹	169						
Combined Fuel Economy (L/100km)(Auto) ¹		7.8	7.8	7.8	7.8	8.2	6.7
CO ₂ Emissions (g/km)(Auto) ¹		203	203	203	203	216	177
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Pick-up Box Dimensions (mm)							
Height - at centreline of axle					511	511	511
Height - floor height to ground					835	835	835
Length - at floor					1549	1549	1549
Length - top of box					1485	1485	1485
Width - between wheelhouses					1139	1139	1139
Width - pick-up box					1560	1560	1560
Width - rear opening					1330	1330	1330
Exterior Dimensions (mm)							
Length - with rear bumper (where fitted)	5133	5133	5133	5133	5382	5446	5446
Width - exterior mirrors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867
Height	1703	1800	1804	1815	1815	1821	1821
Overhang - Front	928	928	928	928	928	928	928
Overhang - Rear	985	985	985	985	1234	1226	1226
Track - Front and Rear	1590	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	201	232	232	232	232	237	237
Wading Depth (mm) ²	600	800	800	800	800	800	800
Approach Angle (unladen, degrees)	22	28	28	28	28	29	29
Departure Angle (unladen, degrees)	24	28	24	28	27	21	21
Ramp Breakover Angle (degrees)	17	24	24	24	24	25	25
Turning Circle - Kerb to Kerb (m)	11.9	12.7	12.7	12.7	12.7	12.7	12.7
Interior Dimensions (mm)							
2nd Row Headroom			938	986	986	986	986
2nd Row Legroom			796	902	902	902	902
2nd Row Shoulder Room			1400	1430	1430	1430	1430
Front Headroom	1024	1024	1024	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
Vehicle Masses (kg)							
Kerb Weight - Total ³	1666	1724	1783	1845	1970	2131	2099
Kerb Weight - Front Axle ³	1046	1084	1108	1119	1158	1164	1137
Kerb Weight - Rear Axle ³	620	640	675	726	812	967	962
Payload ⁴	1259	1476	1417	1355	1230	1069	1101
Gross Vehicle Mass	2925	3200	3200	3200	3200	3200	3200
Gross Combined Mass	5425	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity ⁵	2500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1325	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1755	1850	1850	1850	1850	1850	1850

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. 800mm Water Wading on 4x2 Hi-Rider and 4x4 Ranger models. Achieved when maintaining a steady speed of 7 km/h. 3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 5. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Exterior							
Centre High Mounted Stop Light					S	S	S
Exterior Lighting - LED Daytime Running Lamps						S	S
Exterior Door / Tailgate Handles - Black	S	S	S	S	S		
Exterior Door / Tailgate Handles - Chrome						S	S
Exterior Lighting - Front Fog Lamps (Halogen)						S	S
Exterior Lighting - High Performance Bi-LED Headlamps						S	S
Exterior Mirrors - Black	S	S	S	S	S		
Exterior Mirrors - Chrome						S	S
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator						S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S
Grille - Black	S	S	S	S	S		
Grille - Chrome						S	S
Mud Flaps - Front and Rear ⁶	S	S	S	S	S	S	S
Privacy Glass						S	S
Rear Bumper - Body Colour					S		
Rear Bumper - Chrome Steel						S	S
Rear Sports Bar - Chrome Tubular						S	S
Tow Bar						S	S
Wheels - 16" Steel	S	S	S	S	S		
Wheels - 17" Alloy						S	S
Wheels - 18" Alloy						O	O
Load Box Elements							
Bedliner with 12V Socket						S	S
Tough Bed Spray-In Bedliner					O	O	O
Inner Tie Downs					S	S	S
Load Box Illumination					S	S	S
Load Rest					S		
Tailgate Lock - Manual					S	S	S
Tailgate with Lift Assistance					S	S	S
Comfort and Convenience							
Acoustic Windshield						S	S
Auxiliary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
Auxiliary 12V Power Outlet - Rear of Centre Console						S	S
Centre Console - Single Lid with 2 Cup Holders	S	S	S	S	S	S	S
Child Seat Upper Anchorage Points (x 2)			S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)				S	S	S	S
Climate Control - Single Zone Manual	S	S	S	S	S		
Climate Control - Dual Zone Automatic						S	S
Floor Coverings - Vinyl	S	S	S	S	S		
Floor Coverings - Carpet						S	S
Floor Mats - Driver Only						S	S
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob						S	S
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S
Power Rear Windows				S	S	S	S
Rain Sensing Windscreen Wipers						S	S
Rear Window Defrost	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S	S	S
Audio And Communication							
FordPass Connect - Embedded Modem ⁷	S	S	S	S	S	S	S
8" Colour Touch Screen	S	S	S	S	S	S	S
4 Speakers (2 Tweeters, 2 Woofers)	S	S					
6 Speakers (2 Tweeters, 4 Woofers)			S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

⁶ Rear mud flaps on pick-up models only. ⁷ Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass Connect Modem and FordPass App can only work when connected to the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Audio And Communication continued.							
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay™ & Android Auto™ ⁸	S	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming ⁹	S	S	S	S	S	S	S
DAB+ Digital Radio						S	S
Satellite Navigation with Traffic Message Channel ¹⁰						S	S
SYNC® ³ ¹¹	S	S	S	S	S		
SYNC® ³ with Voice-Activated Controls ¹²						S	S
USB Ports	3	3	3	3	3	3	3
Seating							
6-way Manual Driver Seat Adjustment	S	S	S	S	S	S	S
XLT Leather Accented Seats (Black)						O	O
Safety, Security and Driver Assistance							
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S
Adaptive Cruise Control ¹³						S	S
Adjustable Speed Limiter	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors						S	S
Anti-Lock Braking System (ABS) ¹³	S	S	S	S	S	S	S
Auto High Beam ¹³	S	S	S	S	S	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S
Driver Impairment Monitor ¹³	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) ¹³	S	S	S	S	S	S	S
Emergency Assistance ¹⁴	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S
Hill Launch Assist ¹³	S	S	S	S	S	S	S
Lane Keeping Aid ¹³	S	S	S	S	S	S	S
Load Adaptive Control ¹³	S	S	S	S	S	S	S
MyKey®						S	S
Parking Sensors - Front						S	S
Parking Sensors - Rear					S	S	S
Autonomous Emergency Braking (AEB) with Pedestrian Detection	S	S	S	S	S	S	S
Rear Differential - eLocking		O	O	O	O	S	S
Rear View Camera	A	A	A	A	S	S	S
Remote Keyless Entry - 1 Fob Provided	S	S	S	S	S		
Roll Over Mitigation ¹³	S	S	S	S	S	S	S
Active Park Assist ¹³						P	P
Smart Keyless Entry with Push Button Start - 2 Fobs Provided						S	S
Traction Control System ¹³	S	S	S	S	S	S	S
Traffic Sign Recognition ¹³	S	S	S	S	S	S	S
Trailer Sway Control ¹³	S	S	S	S	S	S	S
Tyre Pressure Monitoring System						S	S
Regular Production Options							
Black 18" Alloy Wheels ¹⁵						O	O
XL Heavy Duty Suspension ¹⁵		O	O	O	O		
XL 4x2 Electronic Locking Rear Diff ¹⁵		O	O	O	O		
XLT Leather Accented Seats ¹⁵						O	O
XLT Tech Pack (Pick-Up Models Only), including Active Park Assist ¹⁵						O	O
XLT Chrome Sports Bar Delete						O	O
Tough Bed Spray-In Bedliner ¹⁵					O	O	O
Prestige Paint ¹⁵	O	O	O	O	O	O	O

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

8. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 9. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 10. Traffic Message Channel is currently provided through an arrangement with Intellematics Australia Pty Ltd (Intellematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intellematics cease for any reason. 11. SYNC®³ features may not be compatible with all phones. For compatibility, see ford.com.au/sync. SYNC®³ System on XL & XLS models do not have embedded voice control or satellite navigation. 12. SYNC®³ features may not be compatible with all phones. For compatibility, see ford.com.au/sync. 13. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 14. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 15. Regular Production Options are optional and available at an additional cost.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis Bi-Turbo	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis Bi-Turbo	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick Up Bi-Turbo	4x4 XL Double Cab Pick-up 3.2 Diesel
Engine										
Engine Type	Inline 5 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder
Engine Size (cm ³)	3198	3198	1996	3198	2198	1996	3198	2198	1996	3198
Compression Ratio	15.7:1	15.7:1	16:1	15.7:1	15.7:1	16:1	15.7:1	15.7:1	16:1	15.7:1
Maximum Power	147kW @ 3000rpm	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	118kW @ 3200rpm	157kW @ 3750rpm	147kW @ 3000rpm	118kW @ 3200rpm	157kW @ 3750rpm	147kW @ 3000rpm
Maximum Torque	470Nm @ 1750-2500rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	385Nm @ 1600-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	385Nm @ 1600-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm
No. of Valves	20	20	16	20	16	16	20	16	16	20
Bore x Stroke (mm)	89.9 x 100.76	89.9 x 100.76	84 x 90	89.9 x 100.76	86 x 94.6	84 x 90	89.9 x 100.76	86 x 94.6	84 x 90	89.9 x 100.76
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
Transmissions										
6-speed manual transmission	S	S					S			S
6-speed automatic transmission	O	O		S	S		O	S		O
10-speed automatic transmission			S			S			S	
Fuel										
Combined Fuel Economy (L/100km)(Manual) ¹	8.3	8.3					8.3			8.3
CO ₂ Emissions (g/km)(Manual) ¹	218	218					218			218
Combined Fuel Economy (L/100km)(Auto) ²	8.7	8.7	7.4	8.7	8.0	8.0	8.7	8.0	8.0	8.7
CO ₂ Emissions (g/km)(Auto) ²	229	229	195	229	209	211	229	209	211	229
Fuel Tank Capacity (L)	80	80	80	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Pick-up Box Dimensions (mm)										
Height - at centreline of axle				511				511	511	511
Height - floor height to ground				835				835	835	835
Length - at floor				1847				1549	1549	1549
Length - top of box				1783				1485	1485	1485
Width - between wheelhouses				1139				1139	1139	1139
Width - pick-up box				1560				1560	1560	1560
Width - rear opening				1330				1330	1330	1330
Exterior Dimensions (mm)										
Length - with rear bumper (where fitted)	5133	5133	5133	5382	5133	5133	5133	5382	5382	5382
Width - exterior mirrors extended	2163	2163	2163	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867	1867	1867	1867
Height	1800	1804	1804	1804	1815	1815	1815	1815	1815	1815
Overhang - Front	928	928	928	928	928	928	928	928	928	928
Overhang - Rear	985	985	985	1234	985	985	985	1234	1234	1234
Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	232	232	232	232	232	232	232	232	232
Wading Depth (mm) ²	800	800	800	800	800	800	800	800	800	800
Approach Angle (unladen, degrees)	28	28	28	28	28	28	28	28	28	28
Departure Angle (unladen, degrees)	28	28	28	27	28	28	28	27	27	27
Ramp Breakover Angle (degrees)	24	24	24	24	24	24	24	24	24	24
Turning Circle - Kerb to Kerb (m)	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7
Interior Dimensions (mm)										
2nd Row Headroom		938	938	938	986	986	986	986	986	986
2nd Row Legroom		796	796	796	902	902	902	902	902	902
2nd Row Shoulder Room		1400	1400	1400	1430	1430	1430	1430	1430	1430
Front Headroom	1024	1024	1024	1024	1022	1022	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. 800mm Water Wading on 4x2 Hi-Rider and 4x4 Ranger models. Achieved when maintaining a steady speed of 7 km/h.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis Bi-Turbo	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis Bi-Turbo	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick Up Bi-Turbo	4x4 XL Double Cab Pick-up 3.2 Diesel
Vehicle Masses (kg)										
Kerb Weight - Total ³	1869(M) / 1887(A)	1933(M) / 1951(A)	1896	2085	1938	1975	1995(M) / 2012(A)	2064	2098	2118(M) / 2135(A)
Kerb Weight - Front Axle ³	1199(M) / 1217(A)	1223(M) / 1241(A)	1187	1230	1195	1210	1235(M) / 1253(A)	1235	1200	1225(M) / 1243(A)
Kerb Weight - Rear Axle ³	670	710	710	855	743	765	760	829	898	893
Payload ⁴	1331(M) / 1313(A)	1267 (M) / 1249 (A)	1304	1115	1262	1225	1205(M) / 1188(A)	1136	1102	1082(M) / 1065(A)
Gross Vehicle Mass	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200
Gross Combined Mass	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity ⁵	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1480	1480	1480	1480	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850
Exterior										
Centre High Mounted Stop Light				S				S	S	S
Exterior Door / Tailgate Handles - Black	S	S	S	S	S	S	S	S	S	S
Exterior Mirrors - Black	S	S	S	S	S	S	S	S	S	S
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S	S	S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S	S	S	S
Grille - Black	S	S	S	S	S	S	S	S	S	S
Mud Flaps - Front and Rear ⁶	S	S	S	S	S	S	S	S	S	S
Rear Bumper - Body Colour				S				S	S	S
Wheels - 16" Steel	S	S	S	S	S	S	S	S	S	S
Load Box Elements										
Tough Bed Spray-In Bedliner								O	O	O
Inner Tie Downs				S				S	S	S
Load Box Illumination				S				S	S	S
Load Rest				S				S	S	S
Tailgate Lock - Manual				S				S	S	S
Tailgate with Lift Assistance				S				S	S	S
Comfort and Convenience										
Auxiliary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S	S	S	S
Centre Console - Single Lid with 2 Cup Holders	S	S	S	S	S	S	S	S	S	S
Child Seat Upper Anchorage Points (x2)		S	S	S	S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x2)					S	S	S	S	S	S
Climate Control - Single Zone Manual	S	S	S	S	S	S	S	S	S	S
Floor Coverings - Vinyl	S	S	S	S	S	S	S	S	S	S
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S	S	S	S
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S	S	S	S
Power Rear Windows					S	S	S	S	S	S
Rear Window Defrost	S	S	S	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S	S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 5. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance. 6. Rear mud flaps on pick-up models only.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis Bi-Turbo	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis Bi-Turbo	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick Up Bi-Turbo	4x4 XL Double Cab Pick-up 3.2 Diesel
Audio And Communication										
FordPass Connect - Embedded Modem ⁷	S	S	S	S	S	S	S	S	S	S
8" Colour Touch Screen	S	S	S	S	S	S	S	S	S	S
4 Speakers (2 Tweeters, 2 Woofers)	S									
6 Speakers (2 Tweeters, 4 Woofers)		S	S	S	S	S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S	S	S	S
Apple CarPlay™ & Android Auto™ ⁸	S	S	S	S	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming ⁹	S	S	S	S	S	S	S	S	S	S
SYNC® ³ ¹⁰	S	S	S	S	S	S	S	S	S	S
USB Ports	3	3	3	3	3	3	3	3	3	3
Seating										
6-way Manual Driver Seat Adjustment	S	S	S	S	S	S	S	S	S	S
Safety, Security and Driver Assistance										
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S	S	S	S
Adjustable Speed Limiter	S	S	S	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S	S	S	S
Anti-Lock Braking System (ABS) ¹¹	S	S	S	S	S	S	S	S	S	S
Auto High Beam ¹¹	S	S	S	S	S	S	S	S	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S	S	S	S
Driver Impairment Monitor ¹¹	S	S	S	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) ¹¹	S	S	S	S	S	S	S	S	S	S
Emergency Assistance ¹¹	S	S	S	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S	S	S	S
Hill Descent Control ¹¹	S	S	S	S	S	S	S	S	S	S
Hill Launch Assist ¹¹	S	S	S	S	S	S	S	S	S	S
Lane Keeping Aid ¹¹	S	S	S	S	S	S	S	S	S	S
Load Adaptive Control ¹⁰	S	S	S	S	S	S	S	S	S	S
Parking Sensors - Rear				S				S	S	S
Autonomous Emergency Braking (AEB) with Pedestrian Detection	S	S	S	S	S	S	S	S	S	S
Rear Differential - eLocking	S	S	S	S	S	S	S	S	S	S
Rear View Camera	A	A	A	S	A	A	A	S	S	S
Remote Keyless Entry - 1 Fob Provided	S	S	S	S	S	S	S	S	S	S
Roll Over Mitigation	S	S	S	S	S	S	S	S	S	S
Traction Control System ¹²	S	S	S	S	S	S	S	S	S	S
Traffic Sign Recognition ¹²	S	S	S	S	S	S	S	S	S	S
Trailer Sway Control ¹²	S	S	S	S	S	S	S	S	S	S
Regular Production Options										
Automatic Transmission ¹³	O	O	S	S	S	S	O	S	S	O
17" Continental All Terrain Tyres ¹³	O	O	O	O	O	O	O	O	O	O
XL Heavy Duty Suspension ¹³	O	O		O	O		O	O		O
XL 4x4 Heavy Duty Pack, including: Heavy Duty Suspension, 17" Black Steel Wheels, 17" Continental A/T Tyres, Solid Wheel Nuts, Side Steps (on Super/Double Cab Chassis and Double Cab Pick Up), Rear Camera Accessory (on Single/Super/Double Cab Chassis) ¹³	O	O		O			O			O
Tough Bed Spray-In Bedliner ¹³								O	O	O
Prestige Paint ¹³	O	O	O	O	O	O	O	O	O	O

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

7. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass Connect Modem and FordPass App can only work when connected to the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. 8. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 9. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 10. SYNC® 3 features may not be compatible with all phones. For compatibility, see ford.com.au/sync. SYNC® 3 System on XL & XLS models do not have embedded voice control or satellite navigation. 11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 12. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 13. Regular Production Options are optional and available at an additional cost.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 2.0 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor X Double Cab Pick-Up 2.0L Diesel
Engine										
Engine Type	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm ³)	3198	1996	3198	3198	1996	1996	3198	1996	3198	1996
Compression Ratio	15.7:1	16:1	15.7:1	15.7:1	16:1	16:1	15.7:1	16:1	15.7:1	16:1
Maximum Power	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	147kW @ 3000rpm	157kW @ 3750rpm	157kW @ 3750rpm	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	157kW @ 3750rpm
Maximum Torque	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm
No. of Valves	20	16	20	20	16	16	20	16	20	16
Bore x Stroke (mm)	89.9 x 100.76	84 x 90	89.9 x 100.76	89.9 x 100.76	84 x 90	84 x 90	89.9 x 100.76	84 x 90	89.9 x 100.76	84x90
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
Transmissions										
6-speed manual transmission	S						S		S	
6-speed automatic transmission	O		S	S			O		O	
10-speed automatic transmission		S			S	S		S		S
Fuel										
Combined Fuel Economy (L/100km)(Manual) ¹	8.3						8.4		8.4	
CO ₂ Emissions (g/km)(Manual) ¹	218						221		221	
Combined Fuel Economy (L/100km)(Auto) ¹	8.9	7.4	8.7	8.9	8.0	8.0	8.9	8.0	8.9	8.2
CO ₂ Emissions (g/km)(Auto) ¹	234	195	229	234	211	211	234	211	234	212
Fuel Tank Capacity (L)	80	80	80	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Pick-Up Box Dimension (mm)										
Height - at centreline of axle	511	511	511			511	511	511	511	561
Height - floor height to ground	835	840	840			840	840	840	840	964
Length - at floor	1549	1847	1847			1549	1549	1549	1549	1549
Length - top of box	1485	1783	1783			1485	1485	1485	1485	1485
Width - between wheelhouses	1139	1139	1139			1139	1139	1139	1139	1139
Width - pick-up box	1560	1560	1560			1560	1560	1560	1560	1560
Width - rear opening	1330	1330	1330			1330	1330	1330	1330	1330
Exterior Dimensions (mm)										
Length - with rear bumper (where fitted)	5382	5446	5446	5133	5133	5446	5446	5446	5446	5398
Width - exterior mirrors extended	2163	2163	2163	2163	2163	2163	2163	2163	2163	2180
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977	1977	1977	2028
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867	1867	1867	2028
Height	1815	1810	1810	1821	1821	1821	1821	1848	1848	1873
Overhang - Front	928	928	928	928	928	928	928	928	928	908
Overhang - Rear	1234	1226	1226	1226	1226	1226	1226	1226	1226	1270
Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560	1560	1560	1710
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	237	237	237	237	237	237	237	237	283
Wading Depth (mm)	800	800	800	800	800	800	800	800	800	850
Approach Angle (unladen, degrees)	28	29	29	29	29	29	29	29	29	32.5
Departure Angle (unladen, degrees)	27	21	21	21	21	21	21	21	21	24
Ramp Breakover Angle (degrees)	24	25	25	25	25	25	25	25	25	24
Turning Circle - Kerb to Kerb (m)	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.9
Interior Dimensions (mm)										
2nd Row Headroom	986	938	938	986	986	986	986	986	986	986
2nd Row Legroom	902	796	796	902	902	902	902	902	902	902
2nd Row Shoulder Room	1430	1400	1400	1430	1430	1430	1430	1430	1430	1432
Front Headroom	1022	1024	1024	1022	1022	1022	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058	1058	1058	1116
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440	1440	1440	1355
Vehicle Masses (kg)										
Kerb Weight - Total ²	2191(M) / 2209(A)	2146	2178	2094	2083	2197	2212(M) / 2230(A)	2246	2260(M) / 2278(A)	2376
Kerb Weight - Front Axle ²	1226(M) / 1244(A)	1212	1238	1217	1203	1218	1232(M) / 1250(A)	1226	1241(M) / 1259(A)	1302
Kerb Weight - Rear Axle ²	965	934	940	877	880	979	980	1020	1019	1074
Payload ³	1009(M) / 991(A)	1054	1022	1106	1117	1003	988(M) / 970(A)	954	940(M) / 922(A)	714
Gross Vehicle Mass	3200	3200	3200	3200	3200	3200	3200	3200	3200	3090
Gross Combined Mass	6000	6000	6000	6000	6000	6000	6000	6000	6000	5350
Maximum Braked Towing Capacity ⁴	3500	3500	3500	3500	3500	3500	3500	3500	3500	2500
Maximum Axle Load - Front	1480	1480	1480	1480	1480	1480	1480	1480	1480	1550
Maximum Axle Load - Rear	1850	1850	1850	1850	1850	1850	1850	1850	1850	1540

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 2.0 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor X Double Cab Pick-Up 2.0L Diesel
Exterior										
Centre High Mounted Stop Light	S	S	S			S	S	S	S	S
Exterior Lighting - LED Daytime Running Lamps		S	S	S	S	S	S	S	S	S
Exterior Door / Tailgate Handles - Black	S									
Exterior Door / Tailgate Handles - Chrome	P	S	S	S	S	S	S			
Exterior Door / Tailgate Handles - Bolder Grey								S	S	
Exterior Door / Tailgate Handles - Matte Finish										S
Exterior Lighting - Front Fog Lamps (Halogen)	S	S	S	S	S	S	S			
Exterior Lighting - Front Fog Lamps (LED)								S	S	S
Exterior Lighting - High Performance Bi-LED Headlamps		S	S	S	S	S	S	S	S	S
Exterior Mirrors - Matte Black										S
Exterior Mirrors - Trivet Grey	S									
Exterior Mirrors - Chrome		S	S	S	S	S	S			
Exterior Mirrors - Bolder Grey								S	S	
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator		S	S	S	S	S	S	S	S	S
Exterior Mirrors - Puddle Lamps								S	S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S	S	S	
Front Bumper Insert - Accent Bolder Grey								S	S	
Front Bumper - Chassis Mounted in Matte Finish										S
Heavy Duty Side Steps										S
Heavy Duty Front Bash Plate & Underbody Shielding										S
Grille - Trivet Grey	S									
Grille - Chrome	P	S	S	S	S	S	S			
Grille - Bolder Grey								S	S	
Grille - Unique Raptor Design (Matte Black)										S
Mud Flaps - Front and Rear ⁵	S	S	S	S	S	S	S	S	S	S
OTT Body Stripes & Side Body Stripe Decal										S
Privacy Glass		S	S	S	S	S	S	S	S	S
Rear Bumper - Body Colour	S									
Rear Bumper - Chrome Steel		S	S			S	S			
Rear Bumper - Bolder Grey								S	S	
Rear Bumper - Unique Raptor Design										S
Side Steps - Black		S	S	S	S	S	S			
Side Steps - Black with Silver Inserts								S	S	
Rear Sports Bar - Black Long Legged Tubular										S
Rear Sports Bar - Chrome Tubular		S	S			S	S			
Rear Sports Bar - Sailplane								S	S	
Tow Bar		S	S	S	S	S	S	S	S	S
Wheels - 16" Alloy	S									
Wheels - 17" Alloy	O	S	S	S	S	S	S			S
Wheels - 18" Alloy				O	O	O	O	S	S	
Tyres - 33" BF Goodrich All-Terrain T/A ® KO2 (285/70 R17)										S
Recovery Hooks - Front (rated at 4,635kg)										S
Recovery Hooks - Rear (rated at 3,863kg)										S
Strengthened Chassis Frame										S
Load Box Elements										
Bedliner with 12V Socket		S	S			S	S	S	S	S
Tough Bed Spray-In Bedliner	O					O	O			S
Inner Tie Downs	S	S	S			S	S	S	S	S
Load Box Illumination	S	S	S			S	S	S	S	
Load Rest	S									
Power Roller Shutter								S	S	
Tailgate Lock - Manual	S	S	S			S	S			
Tailgate Lock - Power (activated with Central Locking)								S	S	S
Tailgate with Lift Assistance	S	S	S			S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

5. Rear mud flaps on pick-up models only.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 2.0 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor X Double Cab Pick-Up 2.0L Diesel
Comfort and Convenience										
Acoustic Windshield		S	S	S	S	S	S	S	S	S
Ambient Lighting - Multi-Colour								S	S	
Auxiliary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S	S	S	S
Auxiliary 12V Power Outlet - Rear of Centre Console	S	S	S	S	S	S	S	S	S	S
Centre Console - Single Lid with 2 Cup Holders	S	S	S	S	S	S	S	S	S	S
Child Seat Upper Anchorage Points (x2)	S	S	S	S	S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x2)	S			S	S	S	S	S	S	S
Climate Control - Single Zone Manual	S									
Climate Control - Dual Zone Automatic	P	S	S	S	S	S	S	S	S	S
Floor Coverings - Carpet	S	S	S	S	S	S	S	S	S	S
Floor Mats - Driver Only	S	S	S	S	S	S	S			
Floor Mats - Driver & Front Passenger								S	S	S
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob		S	S	S	S	S	S	S	S	
Leather Wrapped Sports Steering Wheel with Contrast Stitching										S
Leather Wrapped Gear Shifter										S
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S	S	S	S
Power Rear Windows	S			S	S	S	S	S	S	S
Rain Sensing Windscreen Wipers		S	S	S	S	S	S	S	S	S
Rear Window Defrost	S	S	S	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S	S	S			
Rear View Mirror - Electrochromatic								S	S	S
Under Seat Stowage								S	S	S
Audio And Communication										
FordPass Connect - Embedded Modem ⁶	S	S	S	S	S	S	S	S	S	S
4.2" Colour Multi-Function Display	S	S	S	S	S	S	S			S
Dual Colour 4.2" Instrumentation Screens								S	S	
8" Colour Touch Screen	S	S	S	S	S	S	S	S	S	S
6 Speakers (2 Tweeters, 4 Woofers)	S	S	S	S	S	S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S	S	S	S
Apple CarPlay™ & Android Auto™ ⁷	S	S	S	S	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming ⁸	S	S	S	S	S	S	S	S	S	S
DAB+ Digital Radio	P	S	S	S	S	S	S	S	S	S
Satellite Navigation with Traffic Message Channel ⁹	P	S	S	S	S	S	S	S	S	S
SYNC® ³ ¹⁰	S									
SYNC®3 with Voice-Activated Controls ¹¹	P	S	S	S	S	S	S	S	S	S
USB Ports	3	3	3	3	3	3	3	3	3	3
Seating										
6-way Manual Driver Seat Adjustment	S	S	S	S	S	S	S			
6-way Power Driver Seat Adjustment (plus Lumbar Support)								S	S	
8-way Power Driver Seat Adjustment (plus Lumbar Support)										S
8-way Power Passenger Seat Adjustment (plus Lumbar Support)										S
Heated Front Seats								S	S	S
XLT Leather Accented Seats (Black)				O	O	O	O			
Wildtrak Leather Accented Seats (Black with orange stitching)								S	S	
Raptor Embossed Ebony Leather & Dinamica with Red Stitching										S
Front Sport Seats										S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

⁶ Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass Connect Modem and FordPass App can only work when connected to the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. ⁷ Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. ⁸ Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. ⁹ Traffic Message Channel is currently provided through an arrangement with Inteleomatics Australia Pty Ltd (Inteleomatics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Inteleomatics cease for any reason. ¹⁰ SYNC®3 features may not be compatible with all phones. For compatibility, see ford.com.au/sync. Sync® 3 System on XL & XLS models do not have embedded voice control or satellite navigation. ¹¹ SYNC®3 features may not be compatible with all phones. For compatibility, see ford.com.au/sync.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 2.0 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor X Double Cab Pick-Up 2.0L Diesel
Safety, Security and Driver Assistance										
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S	S	S	S
Adaptive Cruise Control ¹²		S	S	S	S	S	S	S	S	
Adjustable Speed Limiter	S	S	S	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors	S	S	S	S	S	S	S	S	S	S
Anti-Lock Braking System (ABS) ¹²	S	S	S	S	S	S	S	S	S	S
Auto High Beam ¹²	S	S	S	S	S	S	S	S	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S	S	S	S
Driver Impairment Monitor ¹²	S	S	S	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) ¹²	S	S	S	S	S	S	S	S	S	S
Emergency Assistance ¹³	S	S	S	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S	S	S	S
Hill Descent Control ¹²	S	S	S	S	S	S	S	S	S	S
Hill Launch Assist ¹²	S	S	S	S	S	S	S	S	S	S
Lane Keeping Aid ¹²	S	S	S	S	S	S	S	S	S	S
Load Adaptive Control ¹²	S	S	S	S	S	S	S	S	S	S
MyKey®	S	S	S	S	S	S	S	S	S	S
Parking Sensors - Front	S	S	S			S	S	S	S	
Parking Sensors - Rear	S	S	S			S	S	S	S	S
Autonomous Emergency Braking (AEB) with Pedestrian Detection	S	S	S	S	S	S	S	S	S	S
Rear Differential - eLocking	S	S	S	S	S	S	S	S	S	S
Rear View Camera	S	S	S	S	S	S	S	S	S	S
Roll Over Mitigation	S	S	S	S	S	S	S	S	S	S
Active Park Assist		P	P			P	P	S	S	
Smart Keyless Entry with Push Button Start - 2 Fobs Provided	P	S	S	S	S	S	S	S	S	S
Traction Control System ¹²	S	S	S	S	S	S	S	S	S	S
Traffic Sign Recognition ¹²	S	S	S	S	S	S	S	S	S	S
Trailer Sway Control ¹²	S	S	S	S	S	S	S	S	S	S
Tyre Pressure Monitoring System		S	S	S	S	S	S	S	S	
Terrain Management System with 6 Modes - Normal, Sport, Grass/Gravel/Snow, Mud/Sand, Rock, Baja										S
Regular Production Options										
Automatic Transmission ¹⁴	O	S	S	S	S	S	O	S	O	S
Black 17" Alloy Wheels ¹⁴	O									
Black 18" Alloy Wheels ¹⁴				O	O	O	O	O	O	
XLS Premium Pack, including: Satellite Navigation, Embedded Voice Control, DAB+ Digital Radio, Dual Zone Climate Control, Smart Keyless Entry with Push Button Start, Chrome Exterior Grille & Handles ¹⁴	O									
XLT Leather Accented Seats ¹⁴				O	O	O	O			
XLT Tech Pack (Pick-Up Models Only), including Active Park Assist ¹⁴		O	O			O	O			
Deletion of Chrome Sports Bar		O	O			O	O			
Deletion of Sailplane and Roller Shutter								O	O	
Tough Bed Spray-In Bedliner ¹⁴	O					O	O			S
Prestige Paint ¹⁴	O	O	O	O	O	O	O	O	O	O

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

¹² Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. ¹³ Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. ¹⁴ Regular production options are optional and available at additional cost.